

Pedialyte AdvancedCare®

Electrolyte solution

PEDIALYTE ADVANCEDCARE is an advanced rehydration solution specially formulated with PreActiv® Prebiotics to help promote digestive health. With an optimal balance of glucose and electrolytes, it helps replenish vital fluids and minerals which, when lost, can lead to dehydration. It can help prevent mild to moderate dehydration caused by vomiting, diarrhea, exercise, travel, and extreme heat. Use under medical supervision for the dietary management of mild to moderate dehydration during diarrhea and vomiting.



Features

- #1 Pediatrician & Pharmacist recommended brand for hydration.
- Has PreActiv® Prebiotics to help promote digestive health.
- Quickly replaces fluids and electrolytes.
- Designed to help prevent mild to moderate dehydration more effectively than household beverages like some sports drinks, juice, and soda.
- Has glucose to promote sodium and water absorption.
- Available in a variety of flavors.
- Low osmolality.
- Contains no fruit juice.
- Kosher.
- Halal.
- Gluten-free.

Safety Precautions

- No mixing or diluting is necessary or recommended.
- For children under 1 year of age, consult your doctor.
- Not suitable for people with galactosemia.

Availability

List Number	Item Description
63059	Pedialyte AdvancedCare Blue Raspberry / 33.8 fl oz (1 L) Bottle / 8 ct

Ingredients

Blue Raspberry Liquid: Water, Dextrose, Galactooligosaccharides. Less than 0.5% of: Citric Acid, Potassium Citrate, Salt, Natural and Artificial Flavor, Sodium Citrate, Sucralose, Acesulfame Potassium, Zinc Gluconate, Blue 1, Red 40, and Sodium Selenate.

Contains milk ingredients.

Nutrition Information

Nutrient	12 fl oz (360 mL)		33.8 fl oz (1 L)	
	Value	%DV	Value	%DV
Calories	30		80	
Total Fat, g	0	0	0	0
Total Carbohydrate, g	8	3	22	8
Dietary Fiber, g	<1	2	2	7
Total Sugars, g	5		13	
Added Sugars, g	5	10	13	26
Protein, g	0	0	0	0
Sodium, mg	390	17	1080	47
Potassium, mg	280	6	780	15
Zinc, mg	2.8	25	7.8	70
Selenium, mcg	12	20	33	60
Chloride, mg	440	20	1240	50

*The % Daily Value (DV) tells you how much a nutrient in a serving of food contributes to a daily diet. 2,000 calories a day is used for general nutrition advice. -- Not a significant source of saturated fat, trans fat, cholesterol, vitamin D, calcium and iron.

Preparation

Instructions for Use:

- Do not add water or dilute.
- Tastes best served cold.
- For infants under 1 year of age: Consult your doctor.
- To rehydrate after fluid loss: begin with small frequent sips. 1-2 liters per day may be needed while symptoms persist. Consult your doctor if vomiting, fever, or diarrhea continues beyond 24 hours or if consumption needs are greater than 2 liters per day.
- For general rehydration: sip as needed.

Storage Instructions:

- Do not use if printed band around cap or inner foil seal is missing or broken.
- Remove protective band and twist off cap.
- Remove and throw away protective foil seal.
- After opening, replace cap, refrigerate and use within 48 hours.
- Store unopened bottles upright in a cool place. Avoid excessive heat.
- Do not reuse bottle.

Pedialyte AdvancedCare®

Electrolyte solution

PEDIALYTE ADVANCEDCARE is an advanced rehydration solution specially formulated with PreActiv® Prebiotics to help promote digestive health. With an optimal balance of glucose and electrolytes, it helps replenish vital fluids and minerals which, when lost, can lead to dehydration. It can help prevent mild to moderate dehydration caused by vomiting, diarrhea, exercise, travel, and extreme heat. Use under medical supervision for the dietary management of mild to moderate dehydration during diarrhea and vomiting.



Features

- #1 Pediatrician & Pharmacist recommended brand for hydration.
- Has PreActiv® Prebiotics to help promote digestive health.
- Quickly replaces fluids and electrolytes.
- Designed to help prevent mild to moderate dehydration more effectively than household beverages like some sports drinks, juice, and soda.
- Has glucose to promote sodium and water absorption.
- Available in a variety of flavors.
- Low osmolality.
- Contains no fruit juice.
- Kosher.
- Halal.
- Gluten-free.

Safety Precautions

- No mixing or diluting is necessary or recommended.
- For children under 1 year of age, consult your doctor.
- Not suitable for people with galactosemia.

Availability

List Number	Item Description
66738	Pedialyte AdvancedCare Cherry Punch / 33.8 fl oz (1 L) Bottle / 4 ct
63057	Pedialyte AdvancedCare Cherry Punch / 33.8 fl oz (1 L) Bottle / 8 ct

Ingredients

Cherry Punch Liquid: Water, Dextrose, Galactooligosaccharides. Less than 0.5% of: Citric Acid, Potassium Citrate, Salt, Natural and Artificial Flavor, Sodium Citrate, Sucralose, Acesulfame Potassium, Zinc Gluconate, Red 40, and Sodium Selenate.

Contains milk ingredients.

Nutrition Information

Nutrient	12 fl oz (360 mL)		33.8 fl oz (1 L)	
	Value	%DV	Value	%DV
Calories	30		80	
Total Fat, g	0	0	0	0
Total Carbohydrate, g	8	3	22	8
Dietary Fiber, g	<1	2	2	7
Total Sugars, g	5		13	
Added Sugars, g	5	10	13	26
Protein, g	0	0	0	0
Sodium, mg	390	17	1080	47
Potassium, mg	280	6	780	15
Zinc, mg	2.8	25	7.8	70
Selenium, mcg	12	20	33	60
Chloride, mg	440	20	1240	50

*The % Daily Value (DV) tells you how much a nutrient in a serving of food contributes to a daily diet. 2,000 calories a day is used for general nutrition advice. -- Not a significant source of saturated fat, trans fat, cholesterol, vitamin D, calcium and iron.

Preparation

Instructions for Use:

- Do not add water or dilute.
- Tastes best served cold.
- For infants under 1 year of age: Consult your doctor.
- To rehydrate after fluid loss: begin with small frequent sips. 1-2 liters per day may be needed while symptoms persist. Consult your doctor if vomiting, fever, or diarrhea continues beyond 24 hours or if consumption needs are greater than 2 liters per day.
- For general rehydration: sip as needed.

Storage Instructions:

- Do not use if printed band around cap or inner foil seal is missing or broken.
- Remove protective band and twist off cap.
- Remove and throw away protective foil seal.
- After opening, replace cap, refrigerate and use within 48 hours.
- Store unopened bottles upright in a cool place. Avoid excessive heat.
- Do not reuse bottle.

Pedialyte AdvancedCare®

Electrolyte solution

PEDIALYTE ADVANCEDCARE is an advanced rehydration solution specially formulated with PreActiv® Prebiotics to help promote digestive health. With an optimal balance of glucose and electrolytes, it helps replenish vital fluids and minerals which, when lost, can lead to dehydration. It can help prevent mild to moderate dehydration caused by vomiting, diarrhea, exercise, travel, and extreme heat. Use under medical supervision for the dietary management of mild to moderate dehydration during diarrhea and vomiting.



Features

- #1 Pediatrician & Pharmacist recommended brand for hydration.
- Has PreActiv® Prebiotics to help promote digestive health.
- Quickly replaces fluids and electrolytes.
- Designed to help prevent mild to moderate dehydration more effectively than household beverages like some sports drinks, juice, and soda.
- Has glucose to promote sodium and water absorption.
- Available in a variety of flavors.
- Low osmolality.
- Contains no fruit juice.
- Kosher.
- Halal.
- Gluten-free.

Safety Precautions

- No mixing or diluting is necessary or recommended.
- For children under 1 year of age, consult your doctor.
- Not suitable for people with galactosemia.

Availability

List Number	Item Description
64307	Pedialyte AdvancedCare Tropical Fruit / 33.8 fl oz (1 L) Bottle / 4 ct

Ingredients

Tropical Fruit Liquid: Water, Dextrose, Galactooligosaccharides. Less than 0.5% of: Citric Acid, Potassium Citrate, Salt, Natural and Artificial Flavor, Sodium Citrate, Sucralose, Acesulfame Potassium, Zinc Gluconate, Yellow 6, and Sodium Selenate.

Contains milk ingredients.

Nutrition Information

Nutrient	12 fl oz (360 mL)		33.8 fl oz (1 L)	
	Value	%DV	Value	%DV
Calories	30		80	
Total Fat, g	0	0	0	0
Total Carbohydrate, g	8	3	22	8
Dietary Fiber, g	<1	2	2	7
Total Sugars, g	5		13	
Added Sugars, g	5	10	13	26
Protein, g	0	0	0	0
Sodium, mg	390	17	1080	47
Potassium, mg	280	6	780	15
Zinc, mg	2.8	25	7.8	70
Selenium, mcg	12	20	33	60
Chloride, mg	440	20	1240	50

*The % Daily Value (DV) tells you how much a nutrient in a serving of food contributes to a daily diet. 2,000 calories a day is used for general nutrition advice. -- Not a significant source of saturated fat, trans fat, cholesterol, vitamin D, calcium and iron.

Preparation

Instructions for Use:

- Do not add water or dilute.
- Tastes best served cold.
- For infants under 1 year of age: Consult your doctor.
- To rehydrate after fluid loss: begin with small frequent sips. 1-2 liters per day may be needed while symptoms persist. Consult your doctor if vomiting, fever, or diarrhea continues beyond 24 hours or if consumption needs are greater than 2 liters per day.
- For general rehydration: sip as needed.

Storage Instructions:

- Do not use if printed band around cap or inner foil seal is missing or broken.
- Remove protective band and twist off cap.
- Remove and throw away protective foil seal.
- After opening, replace cap, refrigerate and use within 48 hours.
- Store unopened bottles upright in a cool place. Avoid excessive heat.
- Do not reuse bottle.

Pedialyte AdvancedCare®

Electrolyte solution

PEDIALYTE ADVANCEDCARE is an advanced rehydration solution specially formulated with PreActiv® Prebiotics to help promote digestive health. With an optimal balance of glucose and electrolytes, it helps replenish vital fluids and minerals which, when lost, can lead to dehydration. It can help prevent mild to moderate dehydration caused by vomiting, diarrhea, exercise, travel, and extreme heat. Use under medical supervision for the dietary management of mild to moderate dehydration during diarrhea and vomiting.



Features

- #1 Pediatrician & Pharmacist recommended brand for hydration.
- Has PreActiv® Prebiotics to help promote digestive health.
- Quickly replaces fluids and electrolytes.
- Designed to help prevent mild to moderate dehydration more effectively than household beverages like some sports drinks, juice, and soda.
- Has glucose to promote sodium and water absorption.
- Available in a variety of flavors.
- Low osmolality.
- Contains no fruit juice.
- Kosher.
- Halal.
- Gluten-free.

Safety Precautions

- No mixing or diluting is necessary or recommended.
- For children under 1 year of age, consult your doctor.
- Not suitable for people with galactosemia.

Availability

List Number	Item Description
64301	Pedialyte AdvancedCare Strawberry Lemonade / 33.8 fl oz (1 L) Bottle / 4 ct

Ingredients

Strawberry Lemonade Liquid: Water, Dextrose, Galactooligosaccharides. Less than 0.5% of: Citric Acid, Potassium Citrate, Salt, Natural and Artificial Flavor, Sodium Citrate, Sucralose, Acesulfame Potassium, Zinc Gluconate, Red 40, Blue 1, and Sodium Selenate.

Contains milk ingredients.

Nutrition Information

Nutrient	12 fl oz (360 mL)		33.8 fl oz (1 L)	
	Value	%DV	Value	%DV
Calories	30		80	
Total Fat, g	0	0	0	0
Total Carbohydrate, g	8	3	22	8
Dietary Fiber, g	<1	2	2	7
Total Sugars, g	5		13	
Added Sugars, g	5	10	13	26
Protein, g	0	0	0	0
Sodium, mg	390	17	1080	47
Potassium, mg	280	6	780	15
Zinc, mg	2.8	25	7.8	70
Selenium, mcg	12	20	33	60
Chloride, mg	440	20	1240	50

*The % Daily Value (DV) tells you how much a nutrient in a serving of food contributes to a daily diet. 2,000 calories a day is used for general nutrition advice. -- Not a significant source of saturated fat, trans fat, cholesterol, vitamin D, calcium and iron.

Preparation

Instructions for Use:

- Do not add water or dilute.
- Tastes best served cold.
- For infants under 1 year of age: Consult your doctor.
- To rehydrate after fluid loss: begin with small frequent sips. 1-2 liters per day may be needed while symptoms persist. Consult your doctor if vomiting, fever, or diarrhea continues beyond 24 hours or if consumption needs are greater than 2 liters per day.
- For general rehydration: sip as needed.

Storage Instructions:

- Do not use if printed band around cap or inner foil seal is missing or broken.
- Remove protective band and twist off cap.
- Remove and throw away protective foil seal.
- After opening, replace cap, refrigerate and use within 48 hours.
- Store unopened bottles upright in a cool place. Avoid excessive heat.
- Do not reuse bottle.