

Company:

Account Number: Date:

Quote: PO Number:

ATP:

Marked For:

Associated Quote/Order#:

Ship To:

Address:

City: State:

Zip: Phone:

Email/Fax:

Effective: 1/5/2026

Catalyst 5Ti (K0005) \$4249
300 lb weight capacity

Power Assist

Twist Drive System (E0986) \$7950
Includes Multi-Function Toggle Controller, Removable Li-ion Battery - 36V, 4Ah, Twist Carry Bag, and mounting systems. See page 9 for additional, required selections.
265lb (120 kg) Weight Capacity.

Frame

Seat Width

21" and 22" not available with Klaxon Twist

<input type="checkbox"/> 14"	N/C
<input type="checkbox"/> 15"	N/C
<input type="checkbox"/> 16"	N/C
<input type="checkbox"/> 17"	N/C
<input type="checkbox"/> 18"	N/C
<input type="checkbox"/> 19"	\$210
<input type="checkbox"/> 20" (E2201)	\$474
<input type="checkbox"/> 21" (E2201)	\$582
<input type="checkbox"/> 22" (E2201)	\$582

Transit Option

Transit System (Weight Limit 300lbs) (E1022) \$350
Not available with 350 lb Weight Capacity

Omit N/C

Crossbraces

Aluminum N/C

Titanium Cross Braces \$605
Not available with 21" and 22" Seat Widths

Seat Pan

Removable Aluminum Seat Pan (E2231) \$315
Pan depth 1/2" shorter than Seat Depth

Wheelchair Drive Ready

Chair will ship from Ki Mobility with adaption kit installed for selected Alber system. Order system separately from Alber USA. Select Rear Seat Height (full profile selections only) in drive wheel size on Rear Seat Height chart (page 4). Requires Rear Anti-Tips. Not available with Spinergy wheels or Height Adjustable Flip Back T-Arm.

e-motion Ready N/C

Seat Depth

<input type="checkbox"/> 14"	N/C
<input type="checkbox"/> 15"	N/C
<input type="checkbox"/> 16"	N/C
<input type="checkbox"/> 17"	N/C
<input type="checkbox"/> 18"	N/C
<input type="checkbox"/> 19"	\$216
<input type="checkbox"/> 20" (E2203)	\$582

Weight Capacity

<input type="checkbox"/> 300 lbs	N/C
<input type="checkbox"/> 350 lb (Heavy Duty)	\$619

Requires minimum 5" caster height. Not available with Klaxon Twist.

Backrest

Back Post / Height Range / Back Height				
Back Post	Price	Height	Back Height	
<input type="checkbox"/> Standard	N/C	<input type="checkbox"/> Short	<input type="checkbox"/> 8.5"	<input type="checkbox"/> 9.5"
		<input type="checkbox"/> Medium	<input type="checkbox"/> 12.5"	<input type="checkbox"/> 13.5"
		<input type="checkbox"/> Tall	<input type="checkbox"/> 16.5"	<input type="checkbox"/> 17.5"
<input type="checkbox"/> Angle Adjustable w/ Push Handle	\$210	<input type="checkbox"/> Short	<input type="checkbox"/> 14"	<input type="checkbox"/> 15"
		<input type="checkbox"/> Medium	<input type="checkbox"/> 16"	<input type="checkbox"/> 17"
		<input type="checkbox"/> Tall	<input type="checkbox"/> 18"	<input type="checkbox"/> 19"
				<input type="checkbox"/> 20"

Standard Back Post

Select option below only if a Standard Back Post option is selected

<input type="checkbox"/> Straight without Push Handle	N/C
<input type="checkbox"/> Straight with Push Handle	\$54
<input type="checkbox"/> 8 Degree Bend with Push Handle	\$98
<i>Not available with Short Back Height Range</i>	
<input type="checkbox"/> Straight with Fold Down Push Handle	\$162
<i>Not available with 350 lb Weight Capacity</i>	
<input type="checkbox"/> Caregiver Adjustable Height	\$168
<i>Not available with Swing Away Armrests. Available only with Straight without Push Handle Backrest.</i>	

Back Upholstery Options

If selecting both upholstery and Axiom Back, the upholstery will be installed

<input type="checkbox"/> Standard	N/C
<i>Not available with Short or Medium Back Height Ranges on 21" - 22" Seat Widths</i>	
<input type="checkbox"/> Tension Adjustable with Standard Cover (E2611)	\$363
<input type="checkbox"/> Tension Adjustable with Air Mesh Breathable Cover (E2611)	\$426
<input type="checkbox"/> Omit	(\$15)

Push Handle Options

Not available with Straight Back Post with Fold Down Push Handle or 350 lb Weight Capacity

<input type="checkbox"/> Low Profile Push Handle	\$97
<i>2" shorter than standard push handles</i>	

U.S. Military Service Patches

Attached only if ordered with Tension Adjustable Back Upholstery

<input type="checkbox"/> Army	<input type="checkbox"/> Navy	<input type="checkbox"/> Marines	<input type="checkbox"/> Air Force	
<input type="checkbox"/> Coast Guard	<input type="checkbox"/> US Purple Heart			\$97
<input type="checkbox"/> Combo Army/Purple Heart	<input type="checkbox"/> Combo Navy/Purple Heart			
<input type="checkbox"/> Combo Marines/Purple Heart	<input type="checkbox"/> Combo Air Force/Purple Heart			
<input type="checkbox"/> Combo Coast Guard/Purple Heart				\$157

Frame Type / Footrest

Hanger / Front Frame Bend						Footplates	
Frame	Hanger	70°	80°		Retail		
Swing Away	Extension Tube Mount	<input type="checkbox"/>	<input type="checkbox"/>	¹	N/C	<input type="checkbox"/> Composite	N/C
	Elevating Leg Rests ^{2,3}			<input type="checkbox"/>	\$310	<input type="checkbox"/> Composite Angle Adjustable (K0040) <i>Not available with Seat Widths less than 16"</i>	\$210
	Pro Elevating Leg Rests ^{2,3}			<input type="checkbox"/>	\$358	<input type="checkbox"/> Aluminum Angle Adjustable (K0040)	\$216
	Omit Hangers			<input type="checkbox"/>	(\$20)	<input type="checkbox"/> One Piece Flip Up Angle Adjustable (K0040) <i>Not available with ELR, Pro ELR, or Klaxon Twist</i>	\$210
Fixed	Extension Tube Mount	<input type="checkbox"/>	<input type="checkbox"/>	¹	N/C		

1 Not available with 7" or 8" Casters

2 Available only with Classic Hanger Release

3 Not available in combination with 24" wheels and Push to Lock Flush Mount Wheel Locks

ELR Pad and Pro ELR Cover

<input type="checkbox"/> Standard ELR Foam Knee Pad (Pair) K0108	\$386
Available only on ELR	
<input type="checkbox"/> Pro ELR Gel Pad Cover (Pair) K0108	\$468
Available only on Pro ELR	

Footrest / Extension / Seat to Footrest Length

Select Extension and Seat to Footrest Length in row corresponding to desired Footrest. Footrest Length of at least 2.5" shorter than Front Seat Height recommended. Extension Tube Hangers and Fixed Front Frame measurements are based on 70° Hanger / Front Frame Bend.

Footrest	Extension	Seat to Footrest Length									
Extension Tube Hangers (70°,80°)	<input type="checkbox"/> Short ¹	<input type="checkbox"/> 11"	<input type="checkbox"/> 11.5"	<input type="checkbox"/> 12"	<input type="checkbox"/> 12.5"	<input type="checkbox"/> 13"	<input type="checkbox"/> 13.5"	<input type="checkbox"/> 14"	<input type="checkbox"/> 14.5"	<input type="checkbox"/> 15"	
	<input type="checkbox"/> Medium	<input type="checkbox"/> 13"	<input type="checkbox"/> 13.5"	<input type="checkbox"/> 14"	<input type="checkbox"/> 14.5"	<input type="checkbox"/> 15"	<input type="checkbox"/> 15.5"	<input type="checkbox"/> 16"	<input type="checkbox"/> 16.5"	<input type="checkbox"/> 17"	
	<input type="checkbox"/> Long	<input type="checkbox"/> 15.5"	<input type="checkbox"/> 16"	<input type="checkbox"/> 16.5"	<input type="checkbox"/> 17"	<input type="checkbox"/> 17.5"	<input type="checkbox"/> 18"	<input type="checkbox"/> 18.5"	<input type="checkbox"/> 19"	<input type="checkbox"/> 19.5"	
ELR ¹	<input type="checkbox"/> Standard ELR Extension Tube Short (11.75" - 16.75")										
	<input type="checkbox"/> Standard ELR Extension Tube Medium (13.75" - 18.75")										
	<input type="checkbox"/> Standard ELR Extension Tube Long (16.25" - 21.25")										
Pro ELR Low Pivot ¹ Setting	<input type="checkbox"/> Pro ELR Low Pivot Setting Short (12" - 18")										
	<input type="checkbox"/> Pro ELR Low Pivot Setting Long (14.5" - 21.5")										
Pro ELR High Pivot ¹ Setting	<input type="checkbox"/> Pro ELR High Pivot Setting Short (10.5" - 16")										
	<input type="checkbox"/> Pro ELR High Pivot Setting Long (13" - 19.5")										
Fixed Front Frame (70°,80°)	<input type="checkbox"/> Short ¹	<input type="checkbox"/> 11.5"	<input type="checkbox"/> 12"	<input type="checkbox"/> 12.5"	<input type="checkbox"/> 13"	<input type="checkbox"/> 13.5"	<input type="checkbox"/> 14"	<input type="checkbox"/> 14.5"	<input type="checkbox"/> 15"		
	<input type="checkbox"/> Medium	<input type="checkbox"/> 13"	<input type="checkbox"/> 13.5"	<input type="checkbox"/> 14"	<input type="checkbox"/> 14.5"	<input type="checkbox"/> 15"	<input type="checkbox"/> 15.5"	<input type="checkbox"/> 16"	<input type="checkbox"/> 16.5"	<input type="checkbox"/> 17"	
	<input type="checkbox"/> Long	<input type="checkbox"/> 15.5"	<input type="checkbox"/> 16"	<input type="checkbox"/> 16.5"	<input type="checkbox"/> 17"	<input type="checkbox"/> 17.5"	<input type="checkbox"/> 18"	<input type="checkbox"/> 18.5"	<input type="checkbox"/> 19"	<input type="checkbox"/> 19.5"	

1 Not available with Klaxon Twist

Hanger Release

If no selection is made Classic Hanger Release will be used

<input type="checkbox"/> Classic	\$NC
<input type="checkbox"/> 4-Way - In-Line	N/C
<input type="checkbox"/> 4-Way - Out	N/C

Heel Loops

Not available with One Piece Flip Up Angle Adjustable Footplate

<input type="checkbox"/> Heel Loops (E0951)	\$45
<input type="checkbox"/> Adjustable Heel Loops (E0951)	\$54
<input type="checkbox"/> Omit Heel Loops	N/C

Calf Straps

<input type="checkbox"/> Velcro Adjustable (K0038)	\$44
<input type="checkbox"/> Padded Velcro Adjustable (K0038)	\$77
<input type="checkbox"/> Padded Airmesh Calf Strap (K0038)	\$140

Residual Limb Support

Limb Support	Price	Omit	Cover		Pad Size					
			<input type="checkbox"/> Omit Left Hanger	<input type="checkbox"/> Smooth Cover Left	<input type="checkbox"/> Air Mesh Cover Left	<input type="checkbox"/> 5X8 Pad Left Side	<input type="checkbox"/> 7X10 Pad Left Side	<input type="checkbox"/> 9X10 Pad Left Side	<input type="checkbox"/> 9X14 Pad Left Side	<input type="checkbox"/> 11X10 Pad Left Side
Left	\$464	<input type="checkbox"/> Left Limb Support (E1020)								
Right	\$464	<input type="checkbox"/> Right Limb Support (E1020)	<input type="checkbox"/> Omit Right Hanger	<input type="checkbox"/> Smooth Cover Right	<input type="checkbox"/> Air Mesh Cover Right	<input type="checkbox"/> 5X8 Pad Right Side	<input type="checkbox"/> 7X10 Pad Right Side	<input type="checkbox"/> 9X10 Pad Right Side	<input type="checkbox"/> 9X14 Pad Right Side	<input type="checkbox"/> 11X10 Pad Right Side

Front Seat Height and Casters

Front Seat Height

Select Front Seat Height in row corresponding to desired caster size

Caster Size	Front Seat Height										
4"	<input type="checkbox"/> 15"	<input type="checkbox"/> 15.5"	<input type="checkbox"/> 16"	<input type="checkbox"/> 16.5"	<input type="checkbox"/> 17"	<input type="checkbox"/> 17.5"	<input type="checkbox"/> 18"	<input type="checkbox"/> 18.5"	<input type="checkbox"/> 19"	<input type="checkbox"/> 19.5"	<input type="checkbox"/> 20"
5"	<input type="checkbox"/> 16"	<input type="checkbox"/> 16.5"	<input type="checkbox"/> 17"	<input type="checkbox"/> 17.5"	<input type="checkbox"/> 18"	<input type="checkbox"/> 18.5"	<input type="checkbox"/> 19"	<input type="checkbox"/> 19.5"	<input type="checkbox"/> 20"	<input type="checkbox"/> 20.5"	
6"	<input type="checkbox"/> 17"	<input type="checkbox"/> 17.5"	<input type="checkbox"/> 18"	<input type="checkbox"/> 18.5"	<input type="checkbox"/> 19"	<input type="checkbox"/> 19.5"	<input type="checkbox"/> 20"	<input type="checkbox"/> 20.5"	<input type="checkbox"/> 21"		
7"	<input type="checkbox"/> 18"	<input type="checkbox"/> 18.5"	<input type="checkbox"/> 19"	<input type="checkbox"/> 19.5"	<input type="checkbox"/> 20"	<input type="checkbox"/> 20.5"	<input type="checkbox"/> 21"				
8"	<input type="checkbox"/> 19"	<input type="checkbox"/> 19.5"	<input type="checkbox"/> 20"	<input type="checkbox"/> 20.5"	<input type="checkbox"/> 21"						

Maximum Seat Dump Reference (Front Seat Height minus Rear Seat Height)

Seat Depth	14"	15"	16"	17"	18"	19"	20"
Maximum Dump Standard Caster Housing	1.5"	2"	2"	2"	2.5"	2.5"	2.5"
Maximum Dump Performance Caster Housing	3"	3"	3"	3.5"	3.5"	4"	4"

Depending on configuration, chairs with Fixed Front Frame Type may achieve up to an additional .75"

Casters

Caster Type		Caster Size					
		Price	4"	5"	6"	7"	8"
	.75" Rollerblade	N/C	<input type="checkbox"/>				
	.75" Lighted Rollerblade	\$82	<input type="checkbox"/>				
	1.25" Soft Roll	N/C	<input type="checkbox"/>				
	1" Poly Aluminum	\$179	<input type="checkbox"/>	<input type="checkbox"/>			
	1" Pneumatic	\$97		<input type="checkbox"/>		<input type="checkbox"/>	
	1.5" Soft Roll	\$63	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
	1.5" Soft Roll Aluminum	\$223	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>		
	2" Poly	\$102		<input type="checkbox"/>			
	2" Pneumatic w/Foam Insert	\$259				<input type="checkbox"/>	

Caster Pin Locks

<input type="checkbox"/> Caster Pin Locks (K0073)	\$221
Not available with Performance Caster Housing, 1 1/2" Longer Fork Stem or Frog Legs Fork	

Caster Housing

<input type="checkbox"/> Standard Housing	N/C
<input type="checkbox"/> Performance Housing	\$49

Not available with 350 lb Weight Capacity

Fork / Stem

<input type="checkbox"/> Best Fit	N/C
Ki Mobility will pick Fork and Stem combination to optimize performance based on Caster Size and Front Seat Height	
<input type="checkbox"/> Standard Fork Stem	N/C
<input type="checkbox"/> 3/4" Longer Fork Stem	N/C
<input type="checkbox"/> 1 1/2" Longer Fork Stem	N/C
<input type="checkbox"/> Frog Legs II Suspension System	\$508
Available only with 4", 5" or 6" Caster Sizes. Not available with Caster Pin Locks, 350 lb Weight Capacity, 2" Poly caster or 2" Pneumatic with Foam Insert caster.	
<input type="checkbox"/> Frog Legs Suspension Fork	\$508
Available only with 4", 5" or 6" Caster Sizes. Not available with Caster Pin Locks, 350 lb Weight Capacity, 2" Poly caster or 2" Pneumatic with Foam Insert caster.	

Frog Legs Options

<input type="checkbox"/> User Weight Under 80 lbs	N/C
<input type="checkbox"/> User Weight 80-120 lbs	N/C
<input type="checkbox"/> User Weight 120-160 lbs	N/C
<input type="checkbox"/> User Weight 160-220 lbs	N/C
<input type="checkbox"/> User Weight 220-260 lbs	N/C
<input type="checkbox"/> User Weight 260-300 lbs	N/C

Wheel Locks

Wheel locks

<input type="checkbox"/> Push to Lock	N/C	<input type="checkbox"/> Hemi Wheel Lock - Left (K0108)	\$377
<input type="checkbox"/> Push to Lock Flush Mount	N/C	<input type="checkbox"/> Extension Handle included	
<input type="checkbox"/> Pull to Lock	N/C	<input type="checkbox"/> Hemi Wheel Lock - Right (K0108)	\$377
<input type="checkbox"/> Low Profile Scissor Lock	\$54	<input type="checkbox"/> Extension Handle included	
Not available with low poly or full poly tires		<input type="checkbox"/> Omit	N/C
<input type="checkbox"/> Drum Brake (E2228)	\$625		
Available only with 20", 22" and 24" MAXX Spoke wheels. Not available with Straight without Push Handle or Straight with Fold Down Push Handle Back Posts or Low Profile Push Handle. Axle is Quick Release.			
<input type="checkbox"/> Dual - Drum Brake with Push to Lock (E2228)	\$738		
Available only with 20", 22" and 24" MAXX Spoke wheels. Not available with Straight without Push Handle or Straight with Fold Down Push Handle Back Posts or Low Profile Push Handle. Axle is Quick Release.			
<input type="checkbox"/> Dual - Drum Brake with Pull to Lock (E2228)	\$738		
Available only with 20", 22" and 24" MAXX Spoke wheels. Not available with Straight without Push Handle or Straight with Fold Down Push Handle Back Posts or Low Profile Push Handle. Axle is Quick Release.			

Wheel Lock Options

<input type="checkbox"/> Extension Handles (E0961)	\$86
Available only with Push to Lock or Pull to Lock Wheel Locks	
<input type="checkbox"/> Grade Aids (E0974)	\$167
Available only with Push to Lock Wheel Locks and Pneumatic or Pneumatic with Airless Insert tires	
<input type="checkbox"/> Automatic Braking System (E2228)	\$2060
PRATIKO Automatic Braking System. Installed by Ki. Wheel Lock selection required - If no selection, Push to Lock will be provided. Weight capacity of 250 lbs (113 kg). Not available with transit, drum brake, seat pan, OAD, Heavy Duty, Klaxon Twist, or seat widths wider than 21". Available with the following rear wheels: 24" Spoke, Maxx Spoke and Mag. 22" is Mag only.	

Rear Seat Height and Wheels

Rear Seat Height

Select Rear Seat Height in row corresponding to Wheel Size and Tire Profile. 14" Seat Depth not available with 24", 25" or 26" wheel sizes.

Wheel Size	Tire Profile	Rear Seat Height											
		11.5" ³	12" ¹	12.5" ³	13" ¹	13.5" ³	14" ¹	14.5" ³	15" ¹	15.5" ³	16" ¹	16.5" ³	17" ³
20" ⁴	Low	<input type="checkbox"/>											
	Full	<input type="checkbox"/>											
22" ⁵	Low	<input type="checkbox"/>											
	Full	<input type="checkbox"/>											
24" ⁶	Low	<input type="checkbox"/>											
	Full	<input type="checkbox"/>											
25" ⁷	Low	<input type="checkbox"/>											
	Full	<input type="checkbox"/>											
26" ⁸	Low		<input type="checkbox"/>										
	Full	<input type="checkbox"/>											

1 Not available with Amputee Axle Plate

2 Not available with Height Adjustable Flip Back T-Arm

3 Requires Universal Axle Plate

4 Not available with Klaxon Twist

5 Lowest Rear Seat Height with Klaxon Twist and 22" wheels is 15" with Low Profile tires and 15.5" with Full Profile tires

6 Lowest Rear Seat Height with Klaxon Twist and 24" wheels is 16" and 16.5" with Mountain tire

7 Lowest Rear Seat Height with Klaxon Twist and 25" wheels is 16" and 17" with Mountain tire

8 Lowest Rear Seat Height with Klaxon Twist and 26" wheels is 17"

Axle Plates

No selection needed with One Arm Drive

<input type="checkbox"/> Universal	N/C
<input type="checkbox"/> Amputee (E0959)	\$197

Not available with Swing Away Armrests or Wheelchair Drive Ready Option

One Arm Drive

<input type="checkbox"/> One Arm Drive - Quick Release (E0958)	\$1179
Available only with 20", 22" and 24" spoke wheels and Quick Release Axles. Spoke wheel style is exclusive to OAD. Not available with 4 degrees of camber or Klaxon Twist.	

Drive Side

<input type="checkbox"/> Left Side Drive	N/C
<input type="checkbox"/> Right Side Drive	N/C

Drive Handrim

<input type="checkbox"/> Aluminum Drive Handrim	N/C
<input type="checkbox"/> Poly Coated Drive Handrim	\$221

Wheels

No selection needed with One Arm Drive

Rear Wheel Type		Rear Wheel Size					
		Price	20"	22"	24"	25"	26"
Maxx Spoke	\$249	<input type="checkbox"/>	<input type="checkbox"/>		<input type="checkbox"/>	<input type="checkbox"/>	
Maxx Spoke	N/C			<input type="checkbox"/>			
Mag	\$54	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			
Colored Mag ³	\$125	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			
Superlight Spoke ¹	\$329			<input type="checkbox"/>	<input type="checkbox"/>	²	
Spinergy Spox	\$1014		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Spinergy LX	\$1273		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

¹ Not available with 350 lb Weight Capacity

² Available only with Superlight and Plastic Coated Handrims

³ Color selection on page 8

Spinergy Options

Select spoke color for Spinergy wheels

Black Spokes Red Spokes Blue Spokes White Spokes N/C

Rear Tire Type

Full Profile

<input type="checkbox"/> Street Pneumatic 1 3/8" (E2211, E2212)	N/C
Not available on 25" wheel size	
<input type="checkbox"/> Full Poly 1 3/8" (E2218)	\$109
Not available on Superlight wheel or 25" or 26" wheel sizes	
<input type="checkbox"/> Pneumatic with Airless Insert 1 3/8" (E2211, E2213)	\$150
Not available on Superlight wheel or 25" wheel size	
<input type="checkbox"/> Schwalbe HS-127 1 3/8" (E2211, E2212)	\$140
Available only on 24" wheel size	
<input type="checkbox"/> Schwalbe Downtown 1 3/8" (E2211, E2212)	\$109
Available only on 24" wheel size	

Low Profile

<input type="checkbox"/> Low Poly 1" (E2218)	\$87
Not available on Superlight wheel, 25" or 26" wheel sizes or 350 lb Weight Capacity	
<input type="checkbox"/> Sentinel Solid Tire 1"	\$109
Not available on Superlight wheel	
<input type="checkbox"/> High Pressure 1" (E2211, E2212)	\$109
Not available on Mag wheel	
<input type="checkbox"/> Schwalbe Marathon Plus Evolution 1" (E2211, E2212)	\$157
Not available on Mag wheel, 20" or 22" wheel sizes	
<input type="checkbox"/> Schwalbe One 1" (E2211, E2212)	\$140
Not available on Mag wheel, 20", 22" or 26" wheel sizes	

Handrims

Standard Handrim

<input type="checkbox"/> Aluminum Anodized	N/C
<input type="checkbox"/> Superlight Aluminum Anodized	\$59
Available only on 24" and 25" wheel sizes. Available only on MAXX Spoke, Superlight or Spinergy wheels. Not available with One Arm Drive.	
<input type="checkbox"/> Plastic Coated	\$116
Available only on 24" wheel size	
<input type="checkbox"/> Projection (8 Vertical Projections)	\$377
Available only with full profile tires in combination with 22", 24", and 26" MAXX Spoke wheels, or 22" and 24" Mag wheels	
<input type="checkbox"/> Omit Handrim	N/C

Ergonomic Handrim

Not available with 20" or 26" wheels

<input type="checkbox"/> Ergo Lite Regular Grip	\$502
<input type="checkbox"/> Ergo Standard Regular Grip	\$479
<input type="checkbox"/> Ergo Lite Extra Grip	\$555
<input type="checkbox"/> Ergo Standard Extra Grip	\$533
<input type="checkbox"/> Ergo Lite Omit Grip	\$426
<input type="checkbox"/> Ergo Standard Omit Grip	\$372

Handrim Options

<input type="checkbox"/> 3M Micro Grip	\$77
Not available on Plastic Coated or Projection Handrims	

Handrim Mount

<input type="checkbox"/> Close Mount	\$33
Reduces overall width by .75"	

Axes

Axes

No selection needed with One Arm Drive or Drum Brake

<input type="checkbox"/> Quick Release	N/C
<input type="checkbox"/> Quad Quick Release	\$195
Not available with Mag or Spinergy wheels	

Axle Position

Rear Wheel Camber

2° and 4° Not available with Heavy Duty option. 4° not available with Klaxon Twist.

<input type="checkbox"/> 0°	<input type="checkbox"/> 2°	<input type="checkbox"/> 4°	N/C
-----------------------------	-----------------------------	-----------------------------	-----

Center of Gravity

No selection needed with Amputee Axle Plate

<input type="checkbox"/> Rear	<input type="checkbox"/> Center	<input type="checkbox"/> Forward	N/C
-------------------------------	---------------------------------	----------------------------------	-----

Armrests

Armrest Type	Length	Price
Height Adjustable T-Arm Tall (11.5"-15") E0973	Desk <input type="checkbox"/>	\$340
	Full <input type="checkbox"/>	
Height Adjustable T-Arm (8.5"-13.5") E0973	Desk <input type="checkbox"/>	\$340
	Full <input type="checkbox"/>	
Height Adjustable T-Arm Low (6.5"-10.5") E0973 ¹	Desk <input type="checkbox"/>	\$340
	Full <input type="checkbox"/>	
Height Adjustable Flip Back T-Arm Tall (11.5"-15") E0973	Desk <input type="checkbox"/>	\$356
	Full <input type="checkbox"/>	
Height Adjustable Flip Back T-Arm (9.5"-13.5") E0973	Desk <input type="checkbox"/>	\$356
	Full <input type="checkbox"/>	

¹ If requested configuration is unavailable, Standard Height T-Arm will be used

² Not available with Seat Depths less than 16". Not Available with 15" Rear Seat Height and 24" Wheels.

³ Not available with Angle Adjustable Back Posts

⁴ Not available with Arm Pads

Armrest Type	Length	Price
Flip Back (10.5") ^{2,3}	Desk <input type="checkbox"/>	\$459
	Full <input type="checkbox"/>	
Swing Away (10.5"-12.5") E0973 ^{3,4}	<input type="checkbox"/>	\$254
	<input type="checkbox"/>	
Omit Armrests	<input type="checkbox"/>	N/C

Arm Pads

<input type="checkbox"/> Waterfall Arm Pad	\$28
--	------

Available only with Height Adjustable T-Arm Tall, Height Adjustable T-Arm, and Height Adjustable T-Arm Low

Accessories

Side Guards

Available only with Swing Away Armrests

<input type="checkbox"/> Adult Composite Side Guards (K0108)	\$162
<input type="checkbox"/> Pediatric Composite Side Guards (K0108)	\$162
<input type="checkbox"/> Aluminum Straight - Black Matte (K0108)	\$221
<input type="checkbox"/> Aluminum Adjustable Fender w/Foam Pad - Black Matte (K0108)	\$318
<input type="checkbox"/> Carbon Fiber Adjustable Fender (K0108)	\$540

Pelvic Positioning Belts

<input type="checkbox"/> 1 1/2" Auto Buckle Pelvic Positioning Belt (E0978)	\$91
<input type="checkbox"/> 1 1/2" Padded Auto Buckle Pelvic Positioning Belt (E0978)	\$183
<input type="checkbox"/> 2" Airline Buckle Pelvic Positioning Belt (E0978)	\$120
<input type="checkbox"/> Small Flex-Mount Positioning Belt (16-24") (E0978)	\$208
<input type="checkbox"/> Medium Flex-Mount Positioning Belt (19-29") (E0978)	\$208
<input type="checkbox"/> Large Flex-Mount Positioning Belt (25-37") (E0978)	\$208
<input type="checkbox"/> Belt Mounting Band Clamp	\$37

Clamp includes hardware to mount Belt

O2 Holder

<input type="checkbox"/> O2 Holder - Left Side (E2208)	\$325
<input type="checkbox"/> O2 Holder - Right Side (E2208)	\$325

Other Accessories

<input type="checkbox"/> Tool Kit	\$63
<input type="checkbox"/> Removable Underseat Pouch	\$64
<input type="checkbox"/> Pediatric Ki Mobility Backpack	\$74
<input type="checkbox"/> Ki Mobility Backpack	\$83
<input type="checkbox"/> Luggage Carrier	\$90
Not available with ELR, Pro ELR or Residual Limb Support	
<input type="checkbox"/> Black Neoprene Impact Guards	\$99
<input type="checkbox"/> Clear Spoke Guards (K0065)	\$125
Not available with Mag wheel	
<input type="checkbox"/> Black Spoke Guards (K0065)	\$128
Not available with 20" wheel size or Mag wheel	
<input type="checkbox"/> Cane and Crutch Holder	\$214
<input type="checkbox"/> IV Pole	\$303

Available only with Standard Straight Back Posts

Upper Extremity Support Tray

3/8" Polycarbonate with ABS ribs. Hardware ordered separately. BC = Body Cut Out. Armrest assembly is required for tray mounting.

Tray	Fits Chair	Retail
<input type="checkbox"/> Tray, Small 22" x 20" (BC 13" x 8") (E0950)	10" - 14"	\$235
<input type="checkbox"/> Tray, Medium 24" x 22" (BC 15" x 9") (E0950)	12" - 16"	\$235
<input type="checkbox"/> Tray, Large 26" x 24" (BC 17" x 10") (E0950)	14" - 18"	\$235
<input type="checkbox"/> Tray, X-Large 28" x 26" (BC 18" x 10") (E0950)	16" - 20"	\$255
<input type="checkbox"/> Tray Hardware Assy, Knob Release - Pair		\$222

Color

Touch-up paint is available for purchase through the parts manual

Options	Price	Colors																		
		Gloss									Matte									
Black	Ruby Red	Radiant Orange	Yellow	Electric Green	Rich Teal	Glacier Blue	Blue Steel	Deep Sapphire Blue	Purple Plum	Opalescent Violet	Dark Pink	Light Pink	Champagne	Shadow Black	Iridescent Navy	Bright Red	Tactical Green	Dry Earth Tan	Platinum	White
Mag Color		<input type="checkbox"/>																		
Color Accent Package ¹	N/C	<input type="checkbox"/>																		

¹ Includes axle plates and forks. When One Arm Drive or Amputee Axle Plate is selected, only forks will be painted. When Frog Legs Suspension Fork or Frog Legs II Suspension System is selected, only axle plate will be painted.

Power Assist

The following options are specific to the Twist Power Assist Add-On option

Controller Mounting Position

If no selection is made Right Side Position will be used

<input type="checkbox"/> Left Side	N/C
<input type="checkbox"/> Right Side	N/C

Setup Options

For Custom Settings complete the chart(s) below. Selection made indicates maximum performance level. Selection should be made according to client capabilities, use environment, etc. Setting can be changed in Klaxon app. If no selection is made Twist will be set to defaults presented below.

<input type="checkbox"/> Default Settings	N/C
<input type="checkbox"/> Custom Settings	N/C

Folding Hardware Option

Required selection for folding chair installation

<input type="checkbox"/> Folding Hardware Option	\$295
--	-------

Additional Accessories

<input type="checkbox"/> Attendant Controller (KO108)	\$315
<input type="checkbox"/> Handlebar Controller (KO108)	\$495
<input type="checkbox"/> Twist Carry Bag	\$195
<input type="checkbox"/> Handlebar and Front Mount Connector Carry Bag	\$195
<input type="checkbox"/> Removable Li-ion Battery - 36V, 4Ah	\$595

Installation Options

<input type="checkbox"/> Install Both Front and Rear Hardware	N/C
<input type="checkbox"/> Install Front Hardware Only	N/C
<input type="checkbox"/> Install Rear Hardware Only	N/C
<input type="checkbox"/> Not Installed	N/C

Acceleration Rate

Defines how quickly the Twist accelerates or decelerates in Variable Speed Mode. Lower values are ideal for indoor or tight spaces. Higher values offer faster acceleration, better suited for outdoor use.

Applicable Modes: Front and Rear

Default: 2

<input type="checkbox"/> 0	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5	<input type="checkbox"/> 6	<input type="checkbox"/> 7	<input type="checkbox"/> 8	<input type="checkbox"/> 9	<input type="checkbox"/> 10
----------------------------	----------------------------	----------------------------	----------------------------	----------------------------	----------------------------	----------------------------	----------------------------	----------------------------	----------------------------	-----------------------------

Maximum Speed

Sets the top speed limit for the Twist in Variable Speed Mode. If front-mounted, a safe speed limit is set at 4 mph. Rear-mounted increases it to 6 mph.

Applicable Modes: Front and Rear

Default: 6 mph

<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5	<input type="checkbox"/> 6					
----------------------------	----------------------------	----------------------------	----------------------------	----------------------------	----------------------------	--	--	--	--	--

Manual Rim Braking - Force Required

Adjusts the force required to manually brake using the wheelchair's rims. Lower values mean less force is needed to initiate braking, but may result in false detections over bumps or gaps. Higher values require more force to trigger braking.

Applicable Modes: Front and Rear

Default: 5

<input type="checkbox"/> 0	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5	<input type="checkbox"/> 6	<input type="checkbox"/> 7	<input type="checkbox"/> 8	<input type="checkbox"/> 9	<input type="checkbox"/> 10
----------------------------	----------------------------	----------------------------	----------------------------	----------------------------	----------------------------	----------------------------	----------------------------	----------------------------	----------------------------	-----------------------------

Turning Speed Reduction

Adjusts how much the Twist reduces speed when steering.

Applicable Modes: Front

Default: 0

<input type="checkbox"/> 0	<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5	<input type="checkbox"/> 6	<input type="checkbox"/> 7	<input type="checkbox"/> 8	<input type="checkbox"/> 9	<input type="checkbox"/> 10
----------------------------	----------------------------	----------------------------	----------------------------	----------------------------	----------------------------	----------------------------	----------------------------	----------------------------	----------------------------	-----------------------------

Adaptive Drive Control

Adjusts how the Twist dynamically responds to user weight, input and terrain. Lower values improve control; higher provide more power.

Applicable Modes: Front and Rear

Default: 1

<input type="checkbox"/> 1	<input type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5	<input type="checkbox"/> 6	<input type="checkbox"/> 7	<input type="checkbox"/> 8	<input type="checkbox"/> 9	<input type="checkbox"/> 10
----------------------------	----------------------------	----------------------------	----------------------------	----------------------------	----------------------------	----------------------------	----------------------------	----------------------------	-----------------------------

Additional custom settings are available in KIO and on the Twist Order form, located at www.kimobility.com

Catalyst Front Seat Height Matrix																														
4" Caster				5" Caster				6" Caster				7" Caster				8" Caster														
FSH	Super Low	Stem	Fork	FSH	Super Low	Stem	Fork	FSH	Super Low	Stem	Fork	FSH	Super Low	Stem	Fork	FSH	Super Low	Stem	Fork											
15	13.5	4"	Std	16	14.5	Std	4"	17	15.5	Std	5"	18	16.5	Std	6"	19	17.5	Std	6"											
15.5	14			16.5	15.5	3/4		17.5	16.5	3/4		18.5	17			19.5	18.5	3/4												
15.5 ¹	14 ¹			17.5	16	1 1/2		18.5	17	1 1/2		18.5	17.5			20.5	n/a	1 1/2												
16	14.5			16	14.5	Std		17	15.5	Std		19	18	3/4		19	17.5	Std	7"											
16.5 ¹	15 ¹			16.5	15			17.5	16			19.5	18			19.5	18													
17	15.5			16.5	15.5			18	16.5			20	18.5			20	18.5													
15.5	14	5"		17	16	3/4		17.5	16.5	3/4		18.5	17	Std	7"	20.5	19	7"												
16	14.5			17.5	16			18	17			19	17.5			19.5	18.5	3/4												
16	15			18	16.5			18.5	17.5			19.5	18			20	19													
16.5	15.5			16.5	15	Std		18.5	17	1 1/2		20	18.5			20.5	n/a													
17	15.5			17	15.5			19	17.5			19	18	3/4		21	n/a	1 1/2												
17.5	16			17.5	16			19.5	18			19.5	18.5			20.5	19													
16.5	15			17.5	16	3/4		18	16.5	Std		20	19			21	n/a													
17	15.5			18	16.5			18.5	17			20.5	n/a			7"														
17	16	6"	3/4	18.5	17			19	17.5			20	18.5	1 1/2		7"														
17.5	16.5			18	16.5	1 1/2		19.5	18			20.5	19			7"														
18	16.5			18.5	17			18.5	17.5			21	n/a			7"														
18.5	17			19	17.5			19	18			7"				7"														
18	16.5	7"	Std	18	16.5	Std		19.5	18.5	3/4		7"				7"														
18.5	17			18.5	17			20	19			7"				7"														
18.5	17.5			19	17.5	3/4		19.5	18			7"				7"														
19	18			18.5	17.5			20	18.5	1 1/2		7"				7"														
19.5	18.5			19	18			20.5	19			7"				7"														
20	19			19.5	18.5			21	n/a			7"				7"														
20.5				19.5	18	1 1/2		7"				7"				7"														
				20	18.5			7"				7"				7"														
				20.5	19			7"				7"				7"														
6" x 2" caster not available with 5" fork				7"				7"				7"				7"														

¹ Not available with 4 x 1.5" Soft Roll Aluminum

Seat heights with "FSH" heading available with Standard Front Frame. Seat heights with "Super Low" heading available with Super Low Front Frame. Actual seat height may vary depending upon configuration.