This form must be opened in Adobe Acrobat. The Submit Form button will not work from most browser windows.

Ki Mobility by Etac

FOCUS *CR*

Company: _____ Ship To: _____

Account Number: _____ Date: _____ Address: _____

☐ Quote: ☐ PO Number: _____ City: _____ State: _____

ATP: _____ Zip: _____ Phone: _____

Marked For: _____ Email/Fax: _____

Associated Quote/Order#: _____ Effective: 1/5/2026

☐ **Focus CR - Transit Included (E1161)** _____ $3882
☐ **Focus CR - Transit Not Included (E1161)** _____ $3522
   300 lb weight capacity Tilt range: -5° anterior to 50° posterior

Frame

Frame Width

Select Frame Width within desired Frame Width Range. X-Large Width Range requires 400lb Weight Capacity selection.

Frame Width Range	Frame Width				
☐ Small (14" - 18")	☐ 14"N/C	☐ 15"N/C	☐ 16"N/C	☐ 17"N/C	☐ 18"N/C
☐ Medium (16" - 20")	☐ 16"N/C	☐ 17"N/C	☐ 18"N/C	☐ 19"N/C	☐ 20" (E2201) $555
☐ Large (18" - 22")	☐ 18"N/C	☐ 19"N/C	☐ 20" (E2201) $555	☐ 21" (E2201) $555	☐ 22" (E2201) $555
☐ X-Large (20" - 24")	☐ 20" (E2201) $555	☐ 21" (E2201) $555	☐ 22" (E2201) $555	☐ 23" (E2201) $773	☐ 24" (E2202) $773

Seating Setup

Make one selection from either Option 1 at right or Option 2 below based on desired seating setup

☐ Setup By Ki Mobility (Option 1) — N/C
   Select Seat Depth corresponding to desired Frame Depth Range row and Backrest Offset column. Note: All Seat Depths in a column and within the same frame depth range are achievable with future adjustment.
☐ Setup by Frame Depth (Option 2) — N/C
   Select Frame Depth within desired Frame Depth Range

Option 1: Setup By Ki Mobility

Frame Depth Range	Backrest Offset A						
	☐ -2"	☐ -1"	☐ Flush	☐ +1"	☐ +2"	☐ +3"	☐ +4"
	Seat Depth						
☐ Short	☐ 16"	☐ 15"	☐ 14"				
	☐ 17"	☐ 16"	☐ 15"	☐ 14"			
	☐ 18"	☐ 17"	☐ 16"	☐ 15"	☐ 14"		
	☐ 19"	☐ 18"	☐ 17"	☐ 16"	☐ 15"	☐ 14"	
	☐ 20"[1]	☐ 19"	☐ 18"	☐ 17"	☐ 16"	☐ 15"	☐ 14"
☐ Medium	☐ 18"	☐ 17"	☐ 16"	☐ 15"	☐ 14"		
	☐ 19"	☐ 18"	☐ 17"	☐ 16"	☐ 15"	☐ 14"	
	☐ 20"[1]	☐ 19"	☐ 18"	☐ 17"	☐ 16"	☐ 15"	☐ 14"
	☐ 21"[1]	☐ 20"[1]	☐ 19"	☐ 18"	☐ 17"	☐ 16"	☐ 15"
	☐ 22"[2]	☐ 21"[1]	☐ 20"[1]	☐ 19"	☐ 18"	☐ 17"	☐ 16"
☐ Long	☐ 20"[1]	☐ 19"	☐ 18"	☐ 17"	☐ 16"	☐ 15"	☐ 14"
	☐ 21"[1]	☐ 20"[1]	☐ 19"	☐ 18"	☐ 17"	☐ 16"	☐ 15"
	☐ 22"[2]	☐ 21"[1]	☐ 20"[1]	☐ 19"	☐ 18"	☐ 17"	☐ 16"
		☐ 22"[2]	☐ 21"[1]	☐ 20"[1]	☐ 19"	☐ 18"	☐ 17"
			☐ 22"[2]	☐ 21"[1]	☐ 20"[1]	☐ 19"	☐ 18"

1 Price is $656 E2203
2 Price is $1100 E2204

Option 2: Setup By Frame Depth

Frame Depth Range	Frame Depth				
☐ Short (14" - 18")	☐ 14"N/C	☐ 15"N/C	☐ 16"N/C	☐ 17"N/C	☐ 18"N/C
☐ Medium (16" - 20")	☐ 16"N/C	☐ 17"N/C	☐ 18"N/C	☐ 19"N/C	☐ 20" (E2203) $656
☐ Long (18" - 22")	☐ 18" N/C	☐ 19" N/C	☐ 20" (E2203) $656	☐ 21" (E2203) $656	☐ 22" (E2204) $1100

A

Back Canes
2" Rearward
Flush
2" Forward
4" Forward
Front of Chair

Seat Options

☐ Growing Adjustable Aluminum Seat Pan _____ $241
☐ Omit Seat Pan _____ N/C

HCPCS Codes provided are based on code verification by the PDAC or our interpretation of the code definitions.
Proper use of HCPCS Codes does not ensure coverage or payment. For coverage information, verify the appropriate payer's coverage policy.

Ki Mobility
by Etac

FOCUS *CR*

Frame Options

Weight Capacity

☐ 300 lbs — N/C
☐ 400 lbs (Heavy Duty) — $470
  Available only with Long Frame Depth Range and 8" x 2" or 6" x 2" Casters

Transit

☐ Transit System (E1022) — $357
☐ Omit Transit — N/C

Offset Option

☐ Offset Hanger with Tilt Stops — $38
  Tilt Stop included. No anterior tilt.

Vent and Battery Tray

Requires minimum 16" Seat Height. Not available on 14" or 15" Frame Widths, Attendant Foot Lock, 12" wheels, One Arm Drive, 5" casters.

☐ Vent Tray (E1029) — $294
  Not available with Self Propel Axle Plate or Foot Tilt. Requires Anti-Tip.
☐ Battery Box Holder (E1029) — $294
  Available only with Dual Hand Tilt
☐ Vent Tray and Battery Box Holder (E1029) — $588
  Requires Anti-Tip. Available only with Dual Hand Tilt. Not available with Self Propel Axle Plate.

Tilt Mechanism

Tilt Mechanism

Power Tilt is not available with Vent Tray, Battery Box Holder, 23" and 24" Wide, or 400 lb Weight Capacity. Power Tilt includes Anterior and Posterior Tilt Stops.

☐ Hand Tilt - Right — N/C
☐ Hand Tilt - Left — N/C
☐ Hand Tilt - Dual — N/C
☐ Foot Tilt - Right — N/C
☐ Foot Tilt - Left — N/C
☐ Power Tilt - Right (E1002) — $2754
☐ Power Tilt - Left (E1002) — $2754

Power Tilt Options

Power Tilt selection required

☐ Toggle Switch — N/C
☐ Pendant Control — N/C
  Sent as accessory
☐ Interface for Adaptive Switching — $294
  Sent as accessory

Backrest

Backrest

☐ Stroller Handle Back Post (Short 20") (Folding) — N/C
☐ Stroller Handle Back Post (Tall 24") (Folding) — N/C
☐ Fixed Height Back with Adjustable Handle (Short 22") (Folding) — N/C
  Not available with Dynamic Back
☐ Fixed Height Back with Adjustable Handle (Tall 26") (Folding) — N/C
  Not available with Dynamic Back
☐ Adjustable Height Back with Adjustable Handle (Short 18" - 25") (Folding) — N/C
  Not available with O2 Holder or Dynamic Back
☐ Adjustable Height Back with Adjustable Handle (Tall 20" - 27") (Folding) — N/C
  20"-22" Heights not available with Dynamic Back
☐ Reclining Back with Adjustable Handle (Short 22") (Non-Folding) — $1046
  Not available with O2 Holder or Dynamic Back. If no Recline Angle and Gas Spring selections are made, 0° - 65° and Standard Spring will be used.
☐ Reclining Back with Adjustable Handle (Tall 26") (Non-Folding) — $1046
  Not available with O2 Holder or Dynamic Back. If no Recline Angle and Gas Spring selections are made, 0° - 65° and Standard Spring will be used.

Backrest Height

Required when Adjustable Height Back with Adjustable Handle Back Post is selected

☐ 18"[1] ☐ 19"[1] ☐ 20" ☐ 21" ☐ 22" ☐ 23" ☐ 24" ☐ 25" ☐ 26"[2]
☐ 27"[2] — N/C

1 Available only with Short
2 Available only with Tall

Stroller Handle Back Post Option

Available only with Stroller Handle Back Post

☐ Removable Stroller Handle Extension — $101

Other Backrest Options

☐ Non Folding Back — N/C
  Standard with Reclining Back and Dynamic Back
☐ Dynamic Back (E2398) — $1451
  Available only with Non Folding Back. Not available with Angle Adjustable Locking Extendable Flip Up Armrest or 400 lb Weight Capacity.
☐ Adjustable Height Rigidizer Bar — $86
  Not available with 23" or 24" frame widths

Reclining Back Options

Required when Reclining Back is selected

Recline Angle

☐ 0-65° Recline Angle (E1225) — N/C
☐ 10-75° Recline Angle (E1225) — N/C
☐ 20-85° Recline Angle (E1226) — N/C

Gas Spring

☐ Standard Spring — N/C
☐ Heavy Duty Spring — N/C

FOCUS *CR*

Ki Mobility *by Etac*

Footrest

Hanger / Front Frame Bend

Hanger	60°	70°	80°	90°		Retail
Extension Tube Mount	☐	☐	☐ [1]			N/C
Front Mount		☐	☐ [1]	☐ [2]		N/C
Elevating Leg Rests [4]					☐	$307
Pro Elevating Leg Rests E0990 [4]					☐	$354
Contracture Footrest Bilateral Mount [3]					☐	$398
Contracture Footrest Center Mount [3]					☐	$398
Omit Hangers					☐	($20)

1 7" and 8" Casters may interfere with less than 5° tilt
2 Not available with 7" or 8" Casters
3 Aluminum Angle Adjustable footplates included. See image to right.
*4 Available only with classic hanger release*

ELR Pad and Pro ELR Cover

☐ Standard ELR Foam Knee Pad (Pair) K0108 _____ $386
Available only on ELR

☐ Pro ELR Gel Pad Cover (Pair) K0108 _____ $468
Available only on Pro ELR

3" Extension

Available only with Front Mount Hangers

☐ 3" Extension _____ N/C
☐ 3" Extension (Provided as Parts) _____ N/C

Bilateral Mount   **Center Mount**

Footrest / Extension / Seat to Footrest Length

Select Extension and Seat to Footrest Length in row corresponding to desired Footrest. Footrest Length of at least 2.5" shorter than Front Seat Height recommended. Extension Tube Hanger measurements based on 70° Hanger Bend.

Footrest	Extension	Seat to Footrest Length								
Extension Tube Hangers (60°,70°,80°)	☐ Short	☐ 10"	☐ 10.5"	☐ 11"	☐ 11.5"	☐ 12"	☐ 12.5"	☐ 13"	☐ 13.5"	
	☐ Medium	☐ 11.5"	☐ 12"	☐ 12.5"	☐ 13"	☐ 13.5"	☐ 14"	☐ 14.5"	☐ 15"	☐ 15.5"
	☐ Long	☐ 14"	☐ 14.5"	☐ 15"	☐ 15.5"	☐ 16"	☐ 16.5"	☐ 17"	☐ 17.5"	☐ 18"

Footrest	Extension	Standard Selections							Requires 3" Extension		
Front Mount Hangers [1]	☐ Short Front Mount Hanger (70°,80°,90°)	☐ 4" [2]	☐ 4.5" [2]	☐ 5"	☐ 5.5"	☐ 6"			☐ 8.5"	☐ 9"	☐ 9.5"
		☐ 6.5"	☐ 7"	☐ 7.5"	☐ 8"				☐ 10"	☐ 10.5"	☐ 11"
	☐ Medium Front Mount Hanger (70°,80°,90°)	☐ 4" [2]	☐ 4.5" [2]	☐ 5"	☐ 5.5"	☐ 6"	☐ 6.5"	☐ 7"	☐ 10.5"	☐ 11"	☐ 11.5"
		☐ 7.5"	☐ 8"	☐ 8.5"	☐ 9"	☐ 9.5"	☐ 10"		☐ 12"	☐ 12.5"	☐ 13"
	☐ Long Front Mount Hanger (70°,80°)	☐ 5"	☐ 5.5"	☐ 6"	☐ 6.5"	☐ 7"	☐ 7.5"	☐ 8" ☐ 8.5"	☐ 12.5"	☐ 13"	☐ 13.5"
		☐ 9"	☐ 9.5"	☐ 10"	☐ 10.5"	☐ 11"	☐ 11.5"	☐ 12"	☐ 14"	☐ 14.5"	☐ 15"

Footrest	Extension	Seat to Footrest Length								
Contracture Footrest	☐ Short	☐ 10.5"	☐ 11"	☐ 11.5"	☐ 12"	☐ 12.5"	☐ 13"	☐ 13.5"	☐ 14"	☐ 14.5"
	☐ Medium	☐ 13.5"	☐ 14"	☐ 14.5"	☐ 15"	☐ 15.5"	☐ 16"	☐ 16.5"	☐ 17"	☐ 17.5"
	☐ Long	☐ 16.5"	☐ 17"	☐ 17.5"	☐ 18"	☐ 18.5"	☐ 19"	☐ 19.5"	☐ 20"	☐ 20.5"
ELR	☐ Standard ELR Extension Tube Short (10.25"-15.25")									
	☐ Standard ELR Extension Tube Medium (12.25"- 17.25")									
	☐ Standard ELR Extension Tube Long (14.75" - 19.75")									
Pro ELR Low Pivot Setting	☐ Pro ELR Low Pivot Setting Short (10.5" - 16")									
	☐ Pro ELR Low Pivot Setting Long (13" - 19.5")									
Pro ELR High Pivot Setting	☐ Pro ELR High Pivot Setting Short (8.5" - 14.5")									
	☐ Pro ELR High Pivot Setting Long (11.5" - 18")									

1 See Minimum Front Seat Height chart below
2 Available with 90° only

Ki Mobility by Etac

FOCUS *CR*

Minimum Front Seat Height with Front Mount Hangers						
Hanger Length	Short		Medium		Long	
Hanger Bend	70°	80/90°	70°	80/90°	70°	80°
Minimum Front Seat Height with Standard Selection	13"	13"	13"	13.5"	14.5"	15.5"
Minimum Front Seat Height with 3" Extension	13.5"	14"	15.5"	16"	17"	18"

Footplates

No selection needed with Contracture Footrest

☐ Composite .... N/C
   Not available with Front Mount Hanger

☐ Composite Angle Adjustable (K0040) $203
   Not available with Front Mount Hanger or 14" Seat Width without Offset Hanger

☐ Aluminum Angle Adjustable (K0040) $219

☐ Aluminum Locking Multi-Angle Adjustable (K0108) $332
   Available only with Front Mount Hanger

☐ One Piece Flip Up Angle Adjustable (K0040) $214
   Not available with Front Mount Hanger, ELR, or Pro ELR

Hanger Release

No selection needed with Contracture Footrest. If no selection is made 4-Way - In-Line Hanger Release will be used.

☐ Classic .... N/C
☐ 4-Way - In-Line .... N/C
☐ 4-Way - Out .... N/C

Heel Loops

Not available with One Piece Flip Up Angle Adjustable Footplate

☐ Heel Loops (E0951) $48
☐ Adjustable Heel Loops (E0951) $59
☐ Omit Heel Loops .... N/C

Calf Straps

☐ Velcro Adjustable (K0038) $43
☐ Padded Velcro Adjustable (K0038) $75
☐ Padded Airmesh Calf Strap (K0038) $134

Residual Limb Support

Not available with Offset Hanger

	Limb Support	Price	Omit	Cover		Pad Size				
Left	☐ Left Limb Support (E1020)	$449	☐ Omit Left Hanger	☐ Smooth Cover Left	☐ Air Mesh Cover Left	☐ 5X8 Pad Left Side	☐ 7X10 Pad Left Side	☐ 9x10 Pad Left Side	☐ 9x14 Pad Left Side	☐ 11x10 Pad Left Side
Right	☐ Right Limb Support (E1020)	$449	☐ Omit Right Hanger	☐ Smooth Cover Right	☐ Air Mesh Cover Right	☐ 5X8 Pad Right Side	☐ 7X10 Pad Right Side	☐ 9x10 Pad Right Side	☐ 9x14 Pad Right Side	☐ 11x10 Pad Right Side

Ki Mobility by Etac

FOCUS *CR*

Seat Height, Casters and Rear Wheels

Select Seat Height corresponding to desired Rear Wheel and Caster Size

Left Table

Rear Wheel Size	Caster Size					
	5"	6"	6" x 2"	7"	8"	8" x 2"
	Seat Height					
12" with Pneumatic or Pneumatic with Airless Insert Tire [3]	13.5"					
	14"					
	14.5"	14.5"	14.5"		17"	
	17.5"	17.5"	17.5"	17.5"	17.5"	17.5"
	18"	18"	18"	18"	18"	18"
	18.5"	18.5"	18.5"	18.5"	18.5"	18.5"
	19"	19"	19"	19"	19"	19"
	19.5"	19.5"	19.5"	19.5"	19.5"	19.5"
12" with Full Poly Tire [3]	16.5"	16.5"	16.5"			
	17"	17"	17"	17"	17"	17"
	17.5"	17.5"	17.5"	17.5"	17.5"	17.5"
	18"	18"	18"	18"	18"	18"
	18.5"	18.5"	18.5"	18.5"	18.5"	18.5"
	19"	19"	19"	19"		
12" with Drum Brake [3]	13"					
	13.5"					
	14"	14"	14"			
	14.5"	14.5"	14.5"			
	17.5"	17.5"	17.5"	17.5"	17.5"	17.5"
	18"	18"	18"	18"	18"	18"
	18.5"	18.5"	18.5"	18.5"	18.5"	18.5"
	19"	19"	19"	19"	19"	19"
	19.5"	19.5"	19.5"	19.5"	19.5"	19.5"
	20" [2]		20" [2]	20" [2]	20" [2]	
16" with Pneumatic, Pneumatic with Airless Insert or Full Poly Tire [4]	13"					
	13.5"					
	14"	14"	14"			
	14.5"	14.5"	14.5"			
	15"	15"	15"	15"		
	15.5"	15.5"	15.5"	15.5"		
	16"	16"	16"	16"	16"	16"
	16.5" [1]	16.5" [1]	16.5" [1]	16.5" [1]		16.5" [1]
	19"	19"	19"	19" [2]	19"	19"
	19.5"	19.5"	19.5"	19.5"	19.5"	19.5"
	20"	20"	20"	20"	20"	20"
	20.5"	20.5"	20.5"	20.5"	20.5"	20.5"
16" with Low Poly Tire [4]	13"					
	13.5"					
	14"	14"	14"			
	14.5"	14.5"	14.5"			
	15"	15"	15"	15"		
	18"	18"	18"	18"	18"	18"
	18.5"	18.5"	18.5"	18.5"	18.5"	18.5"
	19"	19"	19"	19"	19"	19"
	19.5"	19.5"	19.5"	19.5"	19.5"	19.5"
	20"	20"	20"	20"	20"	20"
			20.5"	20.5"	20.5"	

Right Table

Rear Wheel Size	Caster Size					
	5"	6"	6" x 2"	7"	8"	8" x 2"
	Seat Height					
16" with Drum Brake [4]	13.5"					
	14"	14"	14"			
	14.5"	14.5"	14.5"			
	15"	15"	15"	15"		
	15.5"	15.5"	15.5"	15.5"		
	16"	16"	16"			16"
		18.5"	18.5"	18.5"	18.5"	18.5"
	19"	19"	19"	19"	19"	19"
	19.5"	19.5"	19.5"	19.5"	19.5"	19.5"
	20"	20"	20"	20"	20"	20"
	20.5"	20.5"	20.5"	20.5"	20.5"	20.5"
20"	15" [5]	15" [5]	15" [5]	15" [5]		
	15.5" [5]	15.5" [5]	15.5" [5]	15.5" [5]		
	16"	16"	16"	16"	16" [6]	16" [6]
	16.5"	16.5"	16.5"	16.5"	16.5"	16.5"
	17"	17"	17"	17"	17"	17"
	17.5"	17.5"	17.5"	17.5"	17.5"	17.5"
	18"	18"	18"	18"	18"	18"
	18.5" [2,7]	18.5" [2,7]	18.5" [2,7]	18.5" [2,7]		
22"	16" [5]	16" [5]	16" [5]	16" [5]	16" [5]	
	16.5" [5]	16.5" [5]	16.5" [5]	16.5" [5]	16.5" [5]	16.5" [5]
	17"	17"	17"	17"	17"	17"
	17.5"	17.5"	17.5"	17.5"	17.5"	17.5"
	18"	18"	18"	18"	18"	18"
	18.5"	18.5"	18.5"	18.5"	18.5"	18.5"
	19"	19"	19"	19"	19"	19"
	19.5"	19.5"	19.5"	19.5"	19.5"	
24"	16.5" [5]	16.5" [1,5]	16.5" [1,5]			
	17" [5]	17" [5]	17" [5]	17" [5]	17" [5]	17" [5]
	17.5" [6]	17.5" [6]	17.5" [6]	17.5"	17.5"	17.5" [6]
	18"	18"	18"	18"	18"	18"
	18.5"	18.5"	18.5"	18.5"	18.5"	18.5"
	19"	19"	19"	19"	19"	19"
	19.5"	19.5"	19.5"	19.5"	19.5"	19.5"
	20"	20"	20"	20"	20"	20" [2]

1 Available only with Full Poly tire
2 Not available with Full Poly tire
3 Not available with Vent and Battery Tray combination
4 Seat heights higher than 16.5" with 16" wheel size not available with Vent and Battery Tray combination
5 Not available with Drum Brake
6 Not available with Drum Brake in combination with Pneumatic tires
7 Not available with Drum Brake in combination with Poly tires

Ki Mobility
by Etac

FOCUS CR

Casters and Rear Wheels

One Arm Drive

☐ One Arm Drive - Quick Release (E0958) $1435
Available only with 24" Spoke wheels. Spoke wheel style is exclusive to OAD. Not available with Vent Tray, Battery Box Holder, Self Propel Axle Plate or Angle Adjustable Locking Extendable Flip Up Arms. Axle is Quick Release.

☐ Left Side Drive   N/C
☐ Right Side Drive   N/C
☐ Aluminum Drive Handrim   N/C
☐ Poly Coated Drive Handrim $214

Casters

Caster Type		Caster Size				
		Price	5"	6"	7"	8"
	1.25" Soft Roll	N/C	☐	☐	☐	☐
	1" Poly Aluminum	$123	☐			
	1" Pneumatic	$123		☐		☐
	1.5" Soft Roll	$99	☐	☐		
	1.5" Soft Roll Aluminum	$198	☐	☐		
	2" Poly	$101		☐		
	2" Pneumatic w/Foam Insert	$256				☐

Axle

No selection needed with One Arm Drive or Drum Brake

☐ Fixed   N/C
☐ Quick Release   N/C

Self Propel Axle Plate

☐ Self Propel Axle Plate $108
Not available with Vent Tray or 12" or 16" wheel sizes

Rear Wheel

No selection needed with One Arm Drive. 20" and 22" Spoke available only when Drum Brake is selected.

Rear Wheel Type		Rear Wheel Size					
		Price	12"	16"	20"	22"	24"
	Mag	N/C	☐	☐	☐	☐	☐
	Spoke	$214			☐	☐	☐

Rear Tire Type

☐ Full Poly (E2218)   N/C
☐ Pneumatic (E2211,E2212)   N/C
☐ Pneumatic with Airless Insert (E2211, E2213) $101
☐ Low Poly (E2218)   N/C
Available only with 16" wheel size

Handrims

Handrims not available on 12" or 16" wheel sizes

Standard Handrims

☐ Aluminum Anodized   N/C
☐ Plastic Coated $129
☐ Projection (8 Vertical Projections) $363
Available only with full profile tires in combination with 24" Spoke wheels, or 22" and 24" Mag wheels

☐ Omit Handrim   N/C

Handrim Options

Not available on Plastic Coated or Projection Handrims

☐ 3M Micro Grip $75

Wheel Locks

Wheel locks

☐ Push to Lock   N/C
☐ Pull to Lock   N/C
Not available with 12" or 16" Full Poly tires

☐ Attendant Foot Lock $91
Not available with One Arm Drive

☐ Combination Attendant Foot Lock $166
Available only with 12" or 16" wheel sizes. Includes Extension Handles. Push to Lock only.

☐ Drum Brake (E2228) $619
Available only with 12" Mag, 16" Mag, or Spoke wheels. Not available with 16" Low Poly tire, One Arm Drive or Self Propel Axle Plate. Axle is Quick Release.

☐ Dual - Drum Brake with Push to Lock (E2228) $731
Available only with 12" Mag, 16" Mag, or Spoke wheels. Not available with 16" Low Poly tire, One Arm Drive or Self Propel Axle Plate. Axle is Quick Release.

☐ Dual - Drum Brake with Pull to Lock (E2228) $731
Available only with 12" Mag, 16" Mag, or Spoke wheels. Not available with 16" Low Poly tire, One Arm Drive or Self Propel Axle Plate. Axle is Quick Release.

☐ Omit Wheel Locks   N/C

Wheel Lock Options

☐ Extension Handles $86
Available only with Push to Lock or Pull to Lock Wheel Locks

Ki Mobility by Etac

FOCUS *CR*

Armrests

Armrest Type	Length		Price
Height Adjustable T-Arm Tall (11.5"-15") E0973	Desk ☐		$337
	Full ☐		
Height Adjustable T-Arm (8.5"-13.5") E0973	Desk ☐		$337
	Full ☐		
Height Adjustable T-Arm Low (6.5"-10.5") E0973 [1]	Desk ☐		$337
	Full ☐		

Armrest Type	Length		Price
Height Adj. Dual Post Flip Back (9.5"-14.5") E0973 [2]	Desk ☐		$334
	Full ☐		
Angle Adjustable Locking Extendable Flip Up K0020 [3,4,5]	Desk ☐		$309
	Full ☐		
Omit Armrests		☐	N/C

1 If requested configuration is unavailable, Standard Height T-Arm will be used. Not available with 14" seat depth and Offset Hangers"
2 Not available with IV Pole
3 Not available with Dynamic Back
4 Minimum armrest height with Reclining Backrest is 12"
5 Not available with 24" Wheels

Arm Pads

☐ Standard Arm Pad .... N/C
☐ Waterfall Arm Pad $28
   Not available with Angle Adjustable Locking Extendable Flip Up Armrests
☐ Foam Grip .... N/C
   Available only with Angle Adjustable Locking Extendable Flip Up Armrest

Accessories

Removable Side Guard

☐ Composite Side Guards (K0108) $155
   Not available with T-Arm or Dual Post Flip Back Armrests

Anti-Tip

☐ Rear Anti-Tips (E0971) $175
   Required with Reclining Backrest or Vent Tray
☐ Omit .... N/C

Pelvic Positioning Belt

☐ 1 1/2" Auto Buckle Pelvic Positioning Belt (E0978) $91
☐ 1 1/2" Padded Auto Buckle Pelvic Positioning Belt (E0978) $183
☐ 2" Airline Buckle Pelvic Positioning Belt (E0978) $120
☐ Small Flex-Mount Positioning Belt (16-24") (E0978) $208
☐ Medium Flex-Mount Positioning Belt (19-29") (E0978) $208
☐ Large Flex-Mount Positioning Belt (25-37") (E0978) $208

Belt Mounting Kit

☐ Ki Mobility Belt Mounting Brackets $53
☐ Belt Mounting Band Clamp $37
   Clamp includes hardware to mount Belt

Upper Extremity Support Tray

3/8" Polycarbonate with ABS ribs. Hardware ordered separately. BC = Body Cut Out. Armrest assembly is required for tray mounting.

Tray	Fits Chair	Retail
☐ Tray, Small 22" x 20" (BC 13" x 8") (E0950)	10" - 14"	$235
☐ Tray, Medium 24" x22" (BC 15" x 9") (E0950)	12" - 16"	$235
☐ Tray, Large 26" x 24" (BC 17" x 10") (E0950)	14" - 18"	$235
☐ Tray, X-Large 28" x 26" (BC 18" x 10") (E0950)	16" - 20"	$255
☐ Tray Hardware Assy, Knob Release - Pair		$222

U.S. Military Service Patches

☐ Army   ☐ Navy   ☐ Marines   ☐ Air Force
☐ Coast Guard   ☐ US Purple Heart $96
☐ Combo Army/Purple Heart   ☐ Combo Navy/Purple Heart
☐ Combo Marines/Purple Heart   ☐ Combo Air Force/Purple Heart
☐ Combo Coast Guard/Purple Heart $155

O2 Holder

☐ O2 Holder (E2208) $183
   Not available with Reclining Backrest or Dynamic Back

Other Accessories

☐ Tool Kit $63
☐ Removable Underseat Pouch $64
☐ Ki Mobility Backpack $83
☐ Black Neoprene Impact Guards $99
☐ Tilt Stop (Pair) $33
   Included with Offset Hanger
☐ IV Pole $303
☐ Canopy with Hardware (K0108) $308
   Not available on frame widths greater than 18"

FOCUS CR

Frame Color

Gloss Finish		Matte Finish	
Touch-up paint is available for purchase through the parts manual		*Touch-up paint is available for purchase through the parts manual*	
☐ Black	N/C	☐ Shadow Black	N/C
☐ Ruby Red	N/C	☐ Iridescent Navy	N/C
☐ Radiant Orange	N/C	☐ Bright Red	N/C
☐ Yellow	N/C	☐ Tactical Green	N/C
☐ Electric Green	N/C	☐ Dry Earth Tan	N/C
☐ Rich Teal	N/C	☐ Platinum	N/C
☐ Glacier Blue	N/C	☐ White	N/C
☐ Blue Steel	N/C		
☐ Deep Sapphire Blue	N/C		
☐ Purple Plum	N/C		
☐ Opalescent Violet	N/C		
☐ Dark Pink	N/C		
☐ Light Pink	N/C		
☐ Champagne	N/C		