

## Similac Pro-Total Comfort® Powder

Infant formula with iron

SIMILAC PRO-TOTAL COMFORT is 20 Cal/fl oz, nutritionally complete, non-GMO\* infant formula that has partially hydrolyzed whey protein as an alternative to standard intact-protein in milk-based formulas. Designed to support both immune and cognitive development with key ingredients found in breast milk. Suitable for lactose sensitivity. A good choice for infants who may have difficulty tolerating other milk-based formulas. SIMILAC PRO-TOTAL COMFORT POWDER is a non-GMO\* option for complete nutrition for baby's first year. Complete nutrition for delicate tummies



\* Ingredients not genetically engineered.

### Features

- Similac Pro-Total Comfort with 2'-FL Human Milk Oligosaccharide † helps strengthen the immune system to be more like the breastfed infant than ever before. 1,2,3
- Easy-to-digest gentle protein and prebiotics.
- OptiGRO® is our exclusive blend of DHA, lutein and vitamin E: these important ingredients are found in breast milk.
  - DHA for brain and eye development.
  - Lutein to support eye health.
  - Vitamin E, to support developing cells.
- Our exclusive formula has:
  - Partially hydrolyzed protein for easy digestion.
  - A unique blend of carbohydrates using two different absorption pathways to help maximize absorption and minimize malabsorption risks.
  - Calcium for strong bones - no palm olein oil.
  - Nucleotides to help support the immune system.
  - Prebiotics to help promote digestive health.
- Gluten-free.
- Halal.
- Kosher; made with dairy ingredients.

1• Goehring KC, et al. J Nutr. 2016;146(12):2559-2566.

†• Not from human milk.

2• Schaller JP, et al. Pediatr Res. 2004;56(6):883-890.

3• Buck RH, et al. Pediatr Res. 2004;56(6):891-900.

### Safety Precautions

- Consult physician prior to switching formulas.
- Never use a microwave oven to warm formula. Serious burns can result.
- Powdered infant formulas are not sterile and should not be fed to premature infants or infants who might have immune problems unless directed and supervised by your baby's doctor.
- Not for infants or children with galactosemia.

### Availability

List Number	Item Description
68501	Similac Pro-Total Comfort Powder / 29.8 oz (845 g) Can / 6 ct
68107	Similac Pro-Total Comfort Powder / 20.1 oz (570g) Simplepac / 4 ct
66937	Similac Pro-Total Comfort Powder / 29.8 oz (845 g) Can / 4 ct

### Ingredients

Unflavored Powder: Corn Maltodextrin, Whey Protein Hydrolysate, High Oleic Safflower Oil, Sugar, Soy Oil, Coconut Oil. Less than 2% of: Schizochytrium Sp. Oil\*, M. Alpina Oil†, 2'-Fucosyllactose‡, Short-chain Fructooligosaccharides§, Beta-Carotene, Lutein, Calcium Citrate, Potassium Phosphate, Calcium Phosphate, Salt, Magnesium Chloride, Ascorbic Acid, Choline Chloride, Inositol, Potassium Chloride, Sodium Citrate, Calcium Hydroxide, Potassium Citrate, Choline Bitartrate, Ferrous Sulfate, Taurine, Zinc Sulfate, Ascorbyl Palmitate, L-Carnitine, Niacinamide, Mixed Tocopherols, d-Alpha-Tocopheryl Acetate, Calcium Pantothenate, Copper Sulfate, Vitamin A Palmitate, Thiamine Hydrochloride, Riboflavin, Pyridoxine Hydrochloride, Folic Acid, Manganese Sulfate, Potassium Iodide, Phylloquinone, Biotin, Sodium Selenate, Vitamin D3, Vitamin B12, Potassium Hydroxide, and Nucleotides (Adenosine 5'-Monophosphate, Cytidine 5'-Monophosphate, Disodium Guanosine 5'-Monophosphate, Disodium Uridine 5'-Monophosphate). \* Source of DHA. † Source of ARA. ‡ 2'-FL, a prebiotic like that found in breast milk. § Prebiotic.

Contains milk ingredients.

## Nutrition Information

Nutrient	100 Cal (5 fl oz, prepared as directed)		1000 mL (1.1 QT, prepared as directed)	
	Value	%DV	Value	%DV
Calories	100		676	
Volume, mL	148		1000	
Protein, g	2.32		15.69	
Fat, g	5.4		36.52	
Carbohydrate, g	10.7		72.36	
Water, g	133		896	
Linoleic Acid, mg	1000		6763	
Vitamin A, IU	300		2029	
Vitamin D, IU	60		406	
Vitamin E, IU	1.5		10.1	
Vitamin K, mcg	8		54.1	
Thiamin (Vitamin B1), mcg	100		676	
Riboflavin (Vitamin B2), mcg	150		1014	
Vitamin B6, mcg	60		406	
Vitamin B12, mcg	0.25		1.69	
Niacin, mcg	1050		7101	
Folic Acid (Folacin), mcg	15		101.4	
Pantothenic Acid, mcg	450		3043	
Biotin, mcg	4.4		29.8	
Vitamin C (Ascorbic Acid), mg	9		60.9	
Choline, mg	24		162.3	
Inositol, mg	24		162.3	
Calcium, mg	105		710	
Calcium, mEq	5.3		35.8	
Phosphorus, mg	75		507	
Magnesium, mg	6		40.6	
Iron, mg	1.8		12.17	
Zinc, mg	0.75		5.07	
Manganese, mcg	5		33.8	
Copper, mcg	90		609	
Iodine, mcg	15		101	
Selenium, mcg	2		14	

## Similac Pro-Total Comfort® Powder

Nutrient	100 Cal (5 fl oz, prepared as directed)		1000 mL (1.1 QT, prepared as directed)	
	Value	%DV	Value	%DV
Sodium, mg	44		298	
Sodium, mEq	1.9		12.8	
Potassium, mg	118		798	
Potassium, mEq	3		20.3	
Chloride, mg	65		440	
Chloride, mEq	1.8		12.2	



## Preparation

### Instructions for Use:

Your baby's health depends on carefully following these directions. Proper hygiene, handling and storage are important when preparing infant formula. Failure to follow these directions could result in severe harm. Ask your baby's doctor if you need to use cooled, boiled water for mixing and if you need to boil (sterilize) utensils, bottles, nipples and rings before use.

1. Wash your hands, surfaces and utensils. Pour water into clean bottle (see mixing guide).
2. Add 1 unpacked level scoop (8.8 g) to each 2 fl oz of water. Return dry scoop to can.
3. Cap bottle; shake well; attach nipple.
4. Once feeding begins, use within 1 hour or discard.

### Powder Mixing Guide

Measure water	+	Add scoop(s) of unpacked level powder using enclosed scoop
2 fl oz		1 scoop (8.8 g)
4 fl oz		2 scoops
6 fl oz		3 scoops
8 fl oz		4 scoops

Each scoop adds about 0.2 fl oz to the amount of prepared formula. For larger size mixing instructions, please visit [www.Similac.com/mixing](http://www.Similac.com/mixing) info.

When mixed as directed:

20.1 oz container makes approximately 144 fl oz of formula.

29.8 oz container makes approximately 214 fl oz of formula.

### STORAGE:

- Once mixed, store bottles immediately in the refrigerator; feed to baby within 24 hours.
- Store unopened or opened container at room temperature; avoid extreme temperatures.
- Use opened can contents within 1 month.
- Do not reuse container.