

Electrolyte powder

PEDIALYTE POWDER PACKS replenish vital fluids lost due to diarrhea to help prevent mild to moderate dehydration in children and adults. A scientifically designed balance of electrolytes and glucose for fast rehydration. Mix with 16 fl oz of water. Use under medical supervision for the dietary management of mild to moderate dehydration during diarrhea and vomiting.



		Features	
<ul> <li>Medical-grade h</li> <li>Designed to heldrinks, juice, and</li> <li>Has glucose to</li> <li>Quickly replace</li> <li>Low osmolality.</li> <li>Contains no fruit</li> <li>Gluten-free.</li> </ul>	p prevent mild to moderate dehyd soda. promote sodium and water absor s fluids and electrolytes.	nd for hydration.	ely than household beverages like some sports
• Not for use for o	children under 1 year of age.	Safety Precautions	3
		Availability	
List Number 68989	Item Description Pedialyte Powder Grape & Orar	nge Variety / 0.6 oz (1	7 g) Packet / 4 x 12 ct
		Ingredients	]



Grape/Orange Powder:

Abbott Nutrition Abbott Laboratories

Columbus, OH 43219

Nutrient	17 g (1 Packet)		
	Value	%DV	
Calories	60		
Total Fat, g	0	0	
Sodium, mg	490	21	
Total Carbohydrate, g	15	5	
Total Sugars, g	12		
Added Sugars, g	12	24	
Protein, g	0		
Potassium, mg	370	8	
Chloride, mg	570	25	

<sup>\*</sup>The % Daily Value (DV) tells you how much a nutrient in a serving of food contributes to a daily diet. 2,000 calories a day is used for general nutrition advice. -- Not a significant source of saturated fat, trans fat, cholesterol, dietary fiber, vitamin D, calcium and iron.

Preparation	
rreparation	

#### Instructions for Use:

- Mix one packet of Pedialyte Classic 17g Powder with 16 fl oz water only. Stir or shake to dissolve.
- · Tastes best served cold.
- Begin with small frequent sips every 15 minutes; increasing serving size as tolerated. Continue to use for as long as symptoms are present.
- To maintain proper hydration, 2-4 servings (32 to 64 fl oz) of Pedialyte may be needed per day. Consult your doctor if vomiting, fever, or diarrhea continues beyond 24 hours or if consumption needs are greater than 2 liters (64 fl oz) per day.

## Storage Instructions:

- Store unused reconstituted product in sealed container in refrigerator for up to 48 hours.
- Do not store powder packets at extreme temperatures.

Abbott Nutrition Abbott Laboratories

Columbus, OH 43219




Electrolyte powder

PEDIALYTE POWDER PACKS replenish vital fluids lost due to diarrhea to help prevent mild to moderate dehydration in children and adults. A scientifically designed balance of electrolytes and glucose for fast rehydration. Mix with 16 fl oz of water. Use under medical supervision for the dietary management of mild to moderate dehydration during diarrhea and vomiting.



	— Features	
• #1 Pediatrician & Pharmacist recommended	brand for hydration.	
Medical-grade hydration.		
• Designed to help prevent mild to moderate dedrinks, juice, and soda.	ehydration more effective	ely than household beverages like some sports
• Has glucose to promote sodium and water ab	bsorption.	
• Quickly replaces fluids and electrolytes.		
• Low osmolality.		
Contains no fruit juice.		
Gluten-free.		
Kosher made with pareve ingredients.		
Not for use for children under 1 year of age.	Safety Precautions  Availability	<u> </u>
List Number Item Description		
·	erry / 0.6 oz (17 g) Packet	/ 6 x 6 ct



Cherry Powder: Dextrose, Citric Acid, Potassium Citrate, Salt, Sodium Citrate. Less than 2% of: Natural



Ingredients

Abbott Nutrition Abbott Laboratories

Nutrient	17 g (1 Packet)		
	Value	%DV	
Calories	60		
Total Fat, g	0	0	
Sodium, mg	490	21	
Total Carbohydrate, g	15	5	
Total Sugars, g	12		
Added Sugars, g	12	24	
Protein, g	0		
Potassium, mg	370	8	
Chloride, mg	570	25	

<sup>\*</sup>The % Daily Value (DV) tells you how much a nutrient in a serving of food contributes to a daily diet. 2,000 calories a day is used for general nutrition advice. -- Not a significant source of saturated fat, trans fat, cholesterol, dietary fiber, vitamin D, calcium and iron.

Preparation	
rreparation	

#### Instructions for Use:

- Mix one packet of Pedialyte Classic 17g Powder with 16 fl oz water only. Stir or shake to dissolve.
- · Tastes best served cold.
- Begin with small frequent sips every 15 minutes; increasing serving size as tolerated. Continue to use for as long as symptoms are present.
- To maintain proper hydration, 2-4 servings (32 to 64 fl oz) of Pedialyte may be needed per day. Consult your doctor if vomiting, fever, or diarrhea continues beyond 24 hours or if consumption needs are greater than 2 liters (64 fl oz) per day.

## Storage Instructions:

- Store unused reconstituted product in sealed container in refrigerator for up to 48 hours.
- Do not store powder packets at extreme temperatures.

Abbott Nutrition Abbott Laboratories

Columbus, OH 43219



Electrolyte powder

PEDIALYTE POWDER PACKS replenish vital fluids lost due to diarrhea to help prevent mild to moderate dehydration in children and adults. A scientifically designed balance of electrolytes and glucose for fast rehydration. Mix with 16 fl oz of water. Use under medical supervision for the dietary management of mild to moderate dehydration during diarrhea and vomiting.



		Features	7
		- Gatar GG	
• #1 Pediatrician & Pha	rmacist recommended brar	nd for hydration.	
Medical-grade hydratic	on.		
<ul> <li>Designed to help prev drinks, juice, and soda.</li> </ul>	ent mild to moderate dehyd	dration more effective	ively than household beverages like some sports
Has glucose to promo	te sodium and water absor	ption.	
<ul> <li>Quickly replaces fluids</li> </ul>	and electrolytes.		
<ul> <li>Low osmolality.</li> </ul>			
Contains no fruit juice.			
Gluten-free.			
<ul> <li>Kosher made with par</li> </ul>	eve ingredients.		
Not for use for children		Safety Precaution	ns
	[	Availability	<b></b>
	L		
List Number	Item Description		
64598	Pedialyte Powder Grape /	0.6 oz (17 g) Packet	et / 6 x 6 ct

Ingredients



Grape Powder: Dextrose, Citric Acid, Potassium Citrate, Salt, Sodium Citrate. Less than 2% of: Natural and Artificial Flavor, Beet Powder Color, Calcium Silicate, Acesulfame Potassium, Sucralose, and Blue 1.

Nutrient	17 g (1 Packet)		
	Value	%DV	
Calories	60		
Total Fat, g	0	0	
Sodium, mg	490	21	
Total Carbohydrate, g	15	5	
Total Sugars, g	12		
Added Sugars, g	12	24	
Protein, g	0		
Potassium, mg	370	8	
Chloride, mg	570	25	

<sup>\*</sup>The % Daily Value (DV) tells you how much a nutrient in a serving of food contributes to a daily diet. 2,000 calories a day is used for general nutrition advice. -- Not a significant source of saturated fat, trans fat, cholesterol, dietary fiber, vitamin D, calcium and iron.

Preparation	
rreparation	

#### Instructions for Use:

- Mix one packet of Pedialyte Classic 17g Powder with 16 fl oz water only. Stir or shake to dissolve.
- · Tastes best served cold.
- Begin with small frequent sips every 15 minutes; increasing serving size as tolerated. Continue to use for as long as symptoms are present.
- To maintain proper hydration, 2-4 servings (32 to 64 fl oz) of Pedialyte may be needed per day. Consult your doctor if vomiting, fever, or diarrhea continues beyond 24 hours or if consumption needs are greater than 2 liters (64 fl oz) per day.

## Storage Instructions:

- Store unused reconstituted product in sealed container in refrigerator for up to 48 hours.
- Do not store powder packets at extreme temperatures.

Abbott Nutrition Abbott Laboratories

Columbus, OH 43219



Electrolyte powder

PEDIALYTE POWDER PACKS replenish vital fluids lost due to diarrhea to help prevent mild to moderate dehydration in children and adults. A scientifically designed balance of electrolytes and glucose for fast rehydration. Mix with 16 fl oz of water. Use under medical supervision for the dietary management of mild to moderate dehydration during diarrhea and vomiting.



		Features	
• #1 Pediatrician & Pha	rmacist recommended bran	nd for hydration.	
Medical-grade hydratic	on.		
• Designed to help prev drinks, juice, and soda.	ent mild to moderate dehyc	dration more effective	vely than household beverages like some sports
Has glucose to promo	te sodium and water absorp	ption.	
Quickly replaces fluids	s and electrolytes.		
<ul> <li>Low osmolality.</li> </ul>			
Contains no fruit juice.			
Gluten-free.			
Kosher made with par	eve ingredients.		
		Safety Precautions	s
Not for use for children	n under 1 year of age		
1 Not for age for criticales	ir under 1 year or age.		
	_		
		Availability	
			_
Liet North on	Itana Danasia tian		
List Number	Item Description	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	
64177	Pedialyte Powder Orange /	′ 0.6 oz (17 g) Packet	t / 6 x 6 ct



Ingredients

Last updated: 2025

Orange Powder: Dextrose, Citric Acid, Potassium Citrate, Salt, Sodium Citrate, Natural and Artificial

Flavor. Less than 2% of: Calcium Silicate, Acesulfame Potassium, Sucralose, and Yellow 6.

Abbott Nutrition Abbott Laboratories

Nutrient	17 g (1 Packet)		
	Value	%DV	
Calories	60		
Total Fat, g	0	0	
Sodium, mg	490	21	
Total Carbohydrate, g	15	5	
Total Sugars, g	12		
Added Sugars, g	12	24	
Protein, g	0		
Potassium, mg	370	8	
Chloride, mg	570	25	

<sup>\*</sup>The % Daily Value (DV) tells you how much a nutrient in a serving of food contributes to a daily diet. 2,000 calories a day is used for general nutrition advice. -- Not a significant source of saturated fat, trans fat, cholesterol, dietary fiber, vitamin D, calcium and iron.

Preparation	
rreparation	

#### Instructions for Use:

- Mix one packet of Pedialyte Classic 17g Powder with 16 fl oz water only. Stir or shake to dissolve.
- · Tastes best served cold.
- Begin with small frequent sips every 15 minutes; increasing serving size as tolerated. Continue to use for as long as symptoms are present.
- To maintain proper hydration, 2-4 servings (32 to 64 fl oz) of Pedialyte may be needed per day. Consult your doctor if vomiting, fever, or diarrhea continues beyond 24 hours or if consumption needs are greater than 2 liters (64 fl oz) per day.

## Storage Instructions:

- Store unused reconstituted product in sealed container in refrigerator for up to 48 hours.
- Do not store powder packets at extreme temperatures.

Abbott Nutrition Abbott Laboratories

Columbus, OH 43219



Electrolyte powder

PEDIALYTE POWDER PACKS replenish vital fluids lost due to diarrhea to help prevent mild to moderate dehydration in children and adults. A scientifically designed balance of electrolytes and glucose for fast rehydration. Mix with 16 fl oz of water. Use under medical supervision for the dietary management of mild to moderate dehydration during diarrhea and vomiting.



- #1 Pediatrician & Pharmacist recommended brand for hydration.
- Medical-grade hydration.
- Designed to help prevent mild to moderate dehydration more effectively than household beverages like some sports drinks, juice, and soda.
- Has glucose to promote sodium and water absorption.
- · Quickly replaces fluids and electrolytes.
- · Low osmolality.
- · Contains no fruit juice.
- Gluten-free.
- Kosher made with pareve ingredients.

**Safety Precautions** 

Not for use for children under 1 year of age.

**Availability** 

List Number Item Description

Abbott Nutrition Abbott Laboratories

Columbus, OH 43219

1-800-227-5767

66964 Pedialyte Powder Strawberry Lemonade / 0.6 oz (17 g) Packet / 6 x 2 ct 64172 Pedialyte Powder Strawberry Lemonade / 0.6 oz (17 g) Packet / 6 x 6 ct

Ingredients

Strawberry Lemonade Powder: Dextrose, Citric Acid, Potassium Citrate, Salt, Natural Flavor, Sodium Citrate. Less than 2% of: Calcium Silicate, Acesulfame Potassium, Sucralose, Red 40, and Blue 1.



Nutrient	17 g (1 Packet)	
	Value	%DV
Calories	60	
Total Fat, g	0	0
Sodium, mg	490	21
Total Carbohydrate, g	15	5
Total Sugars, g	12	
Added Sugars, g	12	24
Protein, g	0	
Potassium, mg	370	8
Chloride, mg	570	25

<sup>\*</sup>The % Daily Value (DV) tells you how much a nutrient in a serving of food contributes to a daily diet. 2,000 calories a day is used for general nutrition advice. -- Not a significant source of saturated fat, trans fat, cholesterol, dietary fiber, vitamin D, calcium and iron.

Preparation	

#### Instructions for Use:

- Mix one packet of Pedialyte Classic 17g Powder with 16 fl oz water only. Stir or shake to dissolve.
- · Tastes best served cold.
- Begin with small frequent sips every 15 minutes; increasing serving size as tolerated. Continue to use for as long as symptoms are present.
- To maintain proper hydration, 2-4 servings (32 to 64 fl oz) of Pedialyte may be needed per day. Consult your doctor if vomiting, fever, or diarrhea continues beyond 24 hours or if consumption needs are greater than 2 liters (64 fl oz) per day.

## Storage Instructions:

- Store unused reconstituted product in sealed container in refrigerator for up to 48 hours.
- Do not store powder packets at extreme temperatures.

Abbott Nutrition Abbott Laboratories

Columbus, OH 43219