

# Synthesis Positioning Wheelchair V4

with the WC19 Package

PO:		Date:		Customer #:	
Customer Nan	ne:		Ship To Name		
Address:			Address:	·	
Phone:			Phone:		
Email:			Tag:		
				Standard Features	
		• (	Comfort Tension Seat		
				Width Adjustable Lateral Shoulder S	unnorts
			Jp to 40° Infinitely A	-	upports
			· ·	ljustable Back Support Recline	
			Frendelenburg Capabl	-	
			Height Adjustable, Swing Away Removable Arm Supports		
		Angle Adjustable, Articulating Lower Leg Support			
				-Locking Front Caster Wheels	
	0	• 2	x 20" Rear Mag Whe	eels	
		• 3	50lb Maximum Occu	pant Weight	
Synthesis	Positioning Wheelchair	with the WC1	9 Package - Mo	del: V4 WC19 MSRP \$5,	723.51
	(WC19 Compliant Transit Ti		· · ·	- Factory Installed Only)	
		Seat and Back S		-	
Seat Width:	<u>016" 018" 020"</u>	N/C	Seat Depth: (		Standard
	<u>22"</u>	\$512.73	<u>(</u>	) 18.5"	N/C
	<u></u> 24"	\$1,160.40	(	20"	\$122.66
Seat Surface	20.5"	Standard	Back Support (	32"	Standard
Height:				33.5"	\$122.66
			(	35"	\$122.66
	Front Options	Wheel	Ontions	Rear Options	
	Front Options		Options Transport Options	Rear Options	
○ 5" Aluminu	*	Wheel Standard Wheel T Standard	Transport Options	heels	Standard
-	um Non-Locking Caster Wheels	Standard Wheel T Standard	Fransport Options	heels	Standard N/C
(available w	um Non-Locking Caster Wheels	Standard Wheel 7	Transport Options	heels heels Omit Hand Rims	
<i>(available</i> w ○ 5" Locking	um Non-Locking Caster Wheels with rear mags only)	Standard Wheel T Standard	Transport Options 0 14" Mag W 0 20" Mag W 0 14" Mid Ma	heels heels Omit Hand Rims	
<i>(available</i> w ○ 5" Locking	um Non-Locking Caster Wheels vith rear mags only) Twin Caster Wheels rear casters or mid mags selected)	Standard Wheel T Standard N/C	Transport Options 0 14" Mag W 0 20" Mag W 0 14" Mid Ma	heels heels Omit Hand Rims ag Wheels ectional Locking Caster Wheels	N/C N/C
(available w ○ 5" Locking (required if	um Non-Locking Caster Wheels vith rear mags only) Twin Caster Wheels rear casters or mid mags selected)	Standard Wheel T Standard N/C ty Wheel Transpor	Transport Options 0 14" Mag W 0 20" Mag W 0 14" Mid Ma 0 6" Multi-Dir	heels heels Omit Hand Rims ag Wheels rectional Locking Caster Wheels ogether or separately)	N/C N/C
(available w 5" Locking (required if 6" x 2" Wio	um Non-Locking Caster Wheels with rear mags only) Twin Caster Wheels rear casters or mid mags selected) Heavy-Du	Standard Wheel T Standard N/C ty Wheel Transpor	Transport Options 0 14" Mag W 0 20" Mag W 0 14" Mid Ma 0 6" Multi-Din t Upgrade (available t 0 Foot Pedal	heels heels Omit Hand Rims ag Wheels rectional Locking Caster Wheels ogether or separately)	N/C N/C (\$407.29)
(available w 5" Locking (required if 6" x 2" Wio	um Non-Locking Caster Wheels with rear mags only) Twin Caster Wheels rear casters or mid mags selected) Heavy-Du de Non-Locking Forked Caster Wh cm) to overall chair width	Standard Wheel T Standard N/C ty Wheel Transpor eels* \$53	Transport Options 0 14" Mag W 0 20" Mag W 0 14" Mid Ma 0 6" Multi-Din t Upgrade (available t Foot Pedal *Only Compo 0 Parking Bra	heels heels Omit Hand Rims ag Wheels ectional Locking Caster Wheels ogether or separately) Wheel Locks*	N/C N/C (\$407.29)
(available w ○ 5" Locking (required if ○ 6" x 2" Wic *Adds 1.5" (3.8)	um Non-Locking Caster Wheels with rear mags only) Twin Caster Wheels rear casters or mid mags selected) Heavy-Du de Non-Locking Forked Caster Wh form) to overall chair width Low	Standard Wheel T Standard N/C ty Wheel Transpor eels* \$53 ver Leg Support	Transport Options 0 14" Mag W 0 20" Mag W 0 14" Mid Ma 0 6" Multi-Din T Upgrade (available t 0 Foot Pedal *Only Compa 0 Parking Bra Options (Select one)	heels heels Omit Hand Rims ag Wheels rectional Locking Caster Wheels ogether or separately) Wheel Locks* <i>utible with 14" Rear Mag Wheels</i> ake Extension Handles ( <i>pair</i> )	N/C N/C (\$407.29) \$197.16 \$78.51
(available w 5" Locking (required if 6" x 2" Wic *Adds 1.5" (3.8 Angle Adju	um Non-Locking Caster Wheels with rear mags only) Twin Caster Wheels rear casters or mid mags selected) Heavy-Du de Non-Locking Forked Caster Wh cm) to overall chair width Low ustable, Articulating Split Lower L	Standard Wheel T Standard N/C ty Wheel Transpor eels* \$53 ver Leg Support eg Support (not ave	Fransport Options 0 14" Mag W 20" Mag W 0 14" Mid Ma 0 6" Multi-Din t Upgrade (available t Foot Pedal *Only Compa 0 Parking Bra Options (Select one) ailable in 16" seat width	heels heels Omit Hand Rims ag Wheels rectional Locking Caster Wheels ogether or separately) Wheel Locks* <i>utible with 14" Rear Mag Wheels</i> ake Extension Handles ( <i>pair</i> )	N/C N/C (\$407.29) \$197.16
(available w 5" Locking (required if 6" x 2" Wic *Adds 1.5" (3.8 Angle Adju Choose Numb	um Non-Locking Caster Wheels with rear mags only) Twin Caster Wheels rear casters or mid mags selected) Heavy-Du de Non-Locking Forked Caster Wh cm) to overall chair width Low ustable, Articulating Split Lower L er of Straps (support length range)	Standard Wheel T Standard N/C ty Wheel Transpor eels* \$53 ver Leg Support eg Support (not ava ) (2 (12"-19")	Fransport Options 0 14" Mag W 20" Mag W 0 14" Mid Ma 0 6" Multi-Din t Upgrade (available t Foot Pedal *Only Compa 0 Parking Bra Options (Select one) ailable in 16" seat width	heels heels Omit Hand Rims ag Wheels rectional Locking Caster Wheels ogether or separately) Wheel Locks* <i>utible with 14" Rear Mag Wheels</i> ake Extension Handles ( <i>pair</i> )	N/C N/C (\$407.29) \$197.16 \$78.51 Standard
(available w ○ 5" Locking (required if ○ 6" x 2" Wio *Adds 1.5" (3.8 ○ Angle Adju ○ Angle Adju	um Non-Locking Caster Wheels with rear mags only) Twin Caster Wheels rear casters or mid mags selected) Heavy-Du de Non-Locking Forked Caster Wh cm) to overall chair width Low ustable, Articulating Split Lower L er of Straps (support length range stable, Articulating Single Lower I	Standard Wheel T Standard N/C ty Wheel Transpor eels* \$53 wer Leg Support eg Support ( <i>not ave</i> ) (2 (12"-19") Leg Support	Fransport Options   ○ 14" Mag W   ○ 20" Mag W   ○ 14" Mid Ma   ○ 6" Multi-Din   t Upgrade (available to   ○ Foot Pedal   *Only Compa   ○ Parking Bra   Options (Select one)   ailable in 16" seat width   ○ 3 (14"-21")	heels heels $\bigcirc$ Omit Hand Rims ag Wheels ectional Locking Caster Wheels ogether or separately) Wheel Locks* <i>tible with 14" Rear Mag Wheels</i> tke Extension Handles ( <i>pair</i> ) $\bigcirc 4 (16"-23") \bigcirc 5 (18"-25")$	N/C N/C (\$407.29) \$197.16 \$78.51 Standard
(available w ○ 5" Locking (required if ○ 6" x 2" Wio *Adds 1.5" (3.8 ○ Angle Adju ○ Angle Adju	um Non-Locking Caster Wheels with rear mags only) Twin Caster Wheels rear casters or mid mags selected) Heavy-Du de Non-Locking Forked Caster Wh cm) to overall chair width Low ustable, Articulating Split Lower L er of Straps (support length range)	Standard Wheel T Standard N/C ty Wheel Transpor eels* $$53$ ver Leg Support eg Support ( <i>not aw</i> 2 (12"-19") Leg Support $0 \bigcirc 2 (12"-19")$	Fransport Options $\bigcirc$ 14" Mag W $\bigcirc$ 20" Mag W $\bigcirc$ 14" Mid Ma $\bigcirc$ 6" Multi-Dint Upgrade (available t $\bigcirc$ Foot Pedal*Only Compact $\bigcirc$ Parking BraOptions (Select one)ailable in 16" seat width $\bigcirc$ 3 (14"-21") $\bigcirc$ 3 (14"-21")	heels heels Omit Hand Rims ag Wheels rectional Locking Caster Wheels ogether or separately) Wheel Locks* <i>utible with 14" Rear Mag Wheels</i> ake Extension Handles ( <i>pair</i> )	N/C N/C (\$407.29) \$197.16 \$78.51 Standard
(available w 5" Locking (required if 6" x 2" Wic *Adds 1.5" (3.8 Angle Adju Choose Numb Choose Numb	um Non-Locking Caster Wheels with rear mags only) Twin Caster Wheels rear casters or mid mags selected) Heavy-Du de Non-Locking Forked Caster Wh can) to overall chair width Low ustable, Articulating Split Lower L er of Straps (support length range, stable, Articulating Single Lower I er of Straps (support length range,	Standard Wheel T Standard N/C ty Wheel Transpor eels* \$53 ver Leg Support eg Support (not ava ) 2 (12"-19") Leg Support ) 2 (12"-19") Arm Suppor	Transport Options   0 14" Mag W   0 20" Mag W   0 14" Mid Ma   0 6" Multi-Din   0 6" Multi-Din   0 Foot Pedal   *Only Compa Parking Bra   Options (Select one) ailable in 16" seat width   0 3 (14"-21")   0 3 (14"-21")	heels heels $\bigcirc$ Omit Hand Rims ag Wheels rectional Locking Caster Wheels <b>ogether or separately</b> ) Wheel Locks* <i>utible with 14" Rear Mag Wheels</i> take Extension Handles ( <i>pair</i> ) $\bigcirc 4 (16"-23") \bigcirc 5 (18"-25")$ $\bigcirc 4 (16"-23") \bigcirc 5 (18"-25")$	N/C N/C (\$407.29) \$197.16 \$78.51 Standard N/C
(available w 5" Locking (required if 6" x 2" Wic *Adds 1.5" (3.8 Angle Adju Choose Numbe Angle Adju Choose Numbe Angle Adju	um Non-Locking Caster Wheels with rear mags only) Twin Caster Wheels rear casters or mid mags selected) Heavy-Du de Non-Locking Forked Caster Wh cm) to overall chair width Low Istable, Articulating Split Lower L er of Straps (support length range) stable, Articulating Single Lower I er of Straps (support length range) O Arm Supports - Pair	Standard Wheel T Standard N/C ty Wheel Transpor eels* \$53 ver Leg Support eg Support (not ava ) (2 (12"-19") Leg Support ) (2 (12"-19") Arm Suppor Standard	Fransport Options   0 14" Mag W   0 20" Mag W   0 14" Mid Ma   0 6" Multi-Din   t Upgrade (available t 6" Foot Pedal   *Only Compa Parking Bra   Options (Select one) ailable in 16" seat width   0 3 (14"-21")   0 3 (14"-21")   0 3 (14"-21")   0 A (14"-21")	heels heels $\bigcirc$ Omit Hand Rims ag Wheels rectional Locking Caster Wheels ogether or separately) Wheel Locks* <i>utible with 14" Rear Mag Wheels</i> take Extension Handles ( <i>pair</i> ) $\bigcirc 4 (16"-23") \bigcirc 5 (18"-25")$ $\bigcirc 4 (16"-23") \bigcirc 5 (18"-25")$ Height Adjustable Arm Support	N/C N/C (\$407.29) \$197.16 \$78.51 Standard N/C Standard
(available w 5" Locking (required if 6" x 2" Wic *Adds 1.5" (3.8 Angle Adju Choose Numb Angle Adju Choose Numb Angle Adju Choose Numb	um Non-Locking Caster Wheels with rear mags only) Twin Caster Wheels rear casters or mid mags selected) Heavy-Du de Non-Locking Forked Caster Wh cm) to overall chair width Low Istable, Articulating Split Lower L er of Straps (support length range) stable, Articulating Single Lower I er of Straps (support length range) O Arm Supports - Pair O Long Arm Supports - Pair	Standard Wheel T Standard N/C by Wheel Transpor eels* \$53 wer Leg Support eg Support (not ava ) (2 (12"-19") Leg Support ) (2 (12"-19") Arm Suppo Standard \$51.52	Transport Options   0 14" Mag W   0 20" Mag W   0 14" Mid Ma   0 6" Multi-Din   0 6" Multi-Din   0 Foot Pedal   *Only Compa Parking Bra   Options (Select one) ailable in 16" seat width   0 3 (14"-21")   0 3 (14"-21")	heels heels $\bigcirc$ Omit Hand Rims ag Wheels rectional Locking Caster Wheels <b>ogether or separately</b> ) Wheel Locks* <i>utible with 14" Rear Mag Wheels</i> take Extension Handles ( <i>pair</i> ) $\bigcirc 4 (16"-23") \bigcirc 5 (18"-25")$ $\bigcirc 4 (16"-23") \bigcirc 5 (18"-25")$	N/C N/C (\$407.29) \$197.16 \$78.51 Standard N/C
(available w 5" Locking (required if 6" x 2" Wic *Adds 1.5" (3.8 Angle Adju Choose Numbe Angle Adju Choose Numbe Angle Adju	um Non-Locking Caster Wheels with rear mags only) Twin Caster Wheels rear casters or mid mags selected) Heavy-Du de Non-Locking Forked Caster Wh cm) to overall chair width Low ustable, Articulating Split Lower L er of Straps (support length range) stable, Articulating Single Lower I er of Straps (support length range) Stable, Articulating Single Lower I er of Straps (support length range) () Arm Supports - Pair () Long Arm Supports - Pair () Cushioned Flip Arm Supports - F	Standard Wheel T Standard N/C by Wheel Transpor eels* $$53$ ver Leg Support eg Support ( <i>not av.</i> $\bigcirc 2 (12"-19")$ Leg Support $\bigcirc 2 (12"-19")$ Arm Suppo Standard \$51.52 vair \$140.00	Fransport Options   0 14" Mag W   0 20" Mag W   0 14" Mid Ma   0 6" Multi-Din   t Upgrade (available t 6" Foot Pedal   *Only Compa Parking Bra   Options (Select one) ailable in 16" seat width   0 3 (14"-21")   0 3 (14"-21")   0 3 (14"-21")   0 A (14"-21")	heels heels $\bigcirc$ Omit Hand Rims ag Wheels rectional Locking Caster Wheels ogether or separately) Wheel Locks* <i>utible with 14" Rear Mag Wheels</i> take Extension Handles ( <i>pair</i> ) $\bigcirc 4 (16"-23") \bigcirc 5 (18"-25")$ $\bigcirc 4 (16"-23") \bigcirc 5 (18"-25")$ Height Adjustable Arm Support	N/C N/C (\$407.29) \$197.16 \$78.51 Standard N/C
(available w 5" Locking (required if 6" x 2" Wic *Adds 1.5" (3.8 Angle Adju Choose Numb Angle Adju Choose Numb Angle Adju Choose Numb	um Non-Locking Caster Wheels with rear mags only) Twin Caster Wheels rear casters or mid mags selected) Heavy-Du de Non-Locking Forked Caster Wh cm) to overall chair width Low ustable, Articulating Split Lower L er of Straps (support length range) stable, Articulating Single Lower I er of Straps (support length range) () Arm Supports - Pair () Long Arm Supports - Pair () Long Cushioned Flip Arm Supports - F () Long Cushioned Fli	Standard Wheel T Standard N/C ty Wheel Transpor eels* $$53$ ver Leg Support eg Support ( <i>not aw</i> ) $\bigcirc 2 (12"-19")$ Leg Support $\bigcirc 2 (12"-19")$ Arm Suppo Standard \$51.52 Pair \$140.00 rts - Pair \$180.00	Fransport Options   0 14" Mag W   0 20" Mag W   0 14" Mid Ma   0 6" Multi-Din   t Upgrade (available t 6" Foot Pedal   *Only Compa Parking Bra   Options (Select one) ailable in 16" seat width   0 3 (14"-21")   0 3 (14"-21")   0 3 (14"-21")   0 A (14"-21")	heels heels $\bigcirc$ Omit Hand Rims ag Wheels rectional Locking Caster Wheels ogether or separately) Wheel Locks* <i>utible with 14" Rear Mag Wheels</i> take Extension Handles ( <i>pair</i> ) $\bigcirc 4 (16"-23") \bigcirc 5 (18"-25")$ $\bigcirc 4 (16"-23") \bigcirc 5 (18"-25")$ Height Adjustable Arm Support	N/C N/C (\$407.29) \$197.16 \$78.51 Standard N/C Standard
(available w 5" Locking (required if 6" x 2" Wic *Adds 1.5" (3.8 Angle Adju Choose Numb Angle Adju Choose Numb Angle Adju Choose Numb	um Non-Locking Caster Wheels with rear mags only) Twin Caster Wheels rear casters or mid mags selected) Heavy-Du de Non-Locking Forked Caster Wh cm) to overall chair width Low ustable, Articulating Split Lower L er of Straps (support length range, stable, Articulating Single Lower I er of Straps (support length range, stable, Articulating Single Lower I er of Straps (support length range, Composition of Straps - Pair Cushioned Flip Arm Supports - Fair Cushioned Arm Supports* -Pair	Standard Wheel T Standard N/C ty Wheel Transpor eels* $$53$ ver Leg Support eg Support (not avo 2 (12"-19") Leg Support $0 \bigcirc 2 (12"-19")$ Arm Suppo Standard \$51.52 Pair \$140.00 rts - Pair \$180.00 \$98.13	Fransport Options   0 14" Mag W   0 20" Mag W   0 14" Mid Ma   0 6" Multi-Din   t Upgrade (available t 6" Foot Pedal   *Only Compa Parking Bra   Options (Select one) ailable in 16" seat width   0 3 (14"-21")   0 3 (14"-21")   0 3 (14"-21")   0 A (14"-21")	heels heels $\bigcirc$ Omit Hand Rims ag Wheels rectional Locking Caster Wheels ogether or separately) Wheel Locks* <i>utible with 14" Rear Mag Wheels</i> take Extension Handles ( <i>pair</i> ) $\bigcirc 4 (16"-23") \bigcirc 5 (18"-25")$ $\bigcirc 4 (16"-23") \bigcirc 5 (18"-25")$ Height Adjustable Arm Support	N/C N/C (\$407.29) \$197.16 \$78.51 Standard N/C Standard
(available w 5" Locking (required if 6" x 2" Wic *Adds 1.5" (3.8 Angle Adju Choose Numb Angle Adju Choose Numb Angle Adju Choose Numb	um Non-Locking Caster Wheels with rear mags only) Twin Caster Wheels rear casters or mid mags selected) Heavy-Du de Non-Locking Forked Caster Wh cm) to overall chair width Low ustable, Articulating Split Lower L er of Straps (support length range) stable, Articulating Single Lower I er of Straps (support length range) O Arm Supports - Pair O Long Arm Supports - Pair Cushioned Flip Arm Supports - Pair O Long Cushioned Flip Arm Supports O Long Cushioned Arm Supports* -Pair O Long Cushioned Arm Supports* -Pair	Standard Wheel T Standard N/C ty Wheel Transpor eels* $$53$ ver Leg Support eg Support (not avo 2 (12"-19") Leg Support $0 \bigcirc 2 (12"-19")$ Arm Suppo Standard \$51.52 Pair \$140.00 rts - Pair \$180.00 \$98.13	Fransport Options   0 14" Mag W   0 20" Mag W   0 14" Mid Ma   0 6" Multi-Din   t Upgrade (available t 6" Foot Pedal   *Only Compa Parking Bra   Options (Select one) ailable in 16" seat width   0 3 (14"-21")   0 3 (14"-21")   0 3 (14"-21")   0 A (14"-21")	heels heels $\bigcirc$ Omit Hand Rims ag Wheels rectional Locking Caster Wheels ogether or separately) Wheel Locks* <i>utible with 14" Rear Mag Wheels</i> take Extension Handles ( <i>pair</i> ) $\bigcirc 4 (16"-23") \bigcirc 5 (18"-25")$ $\bigcirc 4 (16"-23") \bigcirc 5 (18"-25")$ Height Adjustable Arm Support	N/C N/C (\$407.29) \$197.16 \$78.51 Standard N/C
(available w 5" Locking (required if 6" x 2" Wic *Adds 1.5" (3.8 Angle Adju Choose Numb Angle Adju Choose Numb Angle Adju Choose Numb	um Non-Locking Caster Wheels with rear mags only) Twin Caster Wheels rear casters or mid mags selected) Heavy-Du de Non-Locking Forked Caster Wh cm) to overall chair width Low ustable, Articulating Split Lower L er of Straps (support length range) stable, Articulating Single Lower I er of Straps (support length range) Arm Supports - Pair Cushioned Flip Arm Supports - Pair Cushioned Flip Arm Supports - Pair Cushioned Arm Supports* -Pair Cushioned Arm Supports* -Pair Cushioned Arm Supports* -Pair	Standard Wheel T     Standard     N/C     ty Wheel Transpor     eels*   \$53     ver Leg Support     cg Support (not av.     0   2 (12"-19")     Leg Support     0   2 (12"-19")     Leg Support     Standard     \$51.52     'air<\$140.00	Fransport Options   0 14" Mag W   0 20" Mag W   0 14" Mid Ma   0 6" Multi-Din   t Upgrade (available to 0   Foot Pedal *Only Compa   0 Parking Bra   Options (Select one) ailable in 16" seat width   0 3 (14"-21")   0 3 (14"-21")   0 3 (14"-21")   0 3 (14"-21")   0 Arm Support	heels heels $\bigcirc$ Omit Hand Rims ag Wheels rectional Locking Caster Wheels ogether or separately) Wheel Locks* <i>utible with 14" Rear Mag Wheels</i> tke Extension Handles ( <i>pair</i> ) $\bigcirc 4 (16"-23") \bigcirc 5 (18"-25")$ $\bigcirc 4 (16"-23") \bigcirc 5 (18"-25")$ Height Adjustable Arm Support Seat Mounted Arm Support	N/C N/C (\$407.29) \$197.16 \$78.51 Standard N/C Standard
(available w 5" Locking (required if 6" x 2" Wic *Adds 1.5" (3.8 Angle Adju Choose Numb Angle Adju Choose Numb Angle Adju Choose Numb Ongle Adju Choose Numb	um Non-Locking Caster Wheels with rear mags only) Twin Caster Wheels rear casters or mid mags selected) Heavy-Du de Non-Locking Forked Caster Wh cm) to overall chair width Low ustable, Articulating Split Lower L er of Straps (support length range) stable, Articulating Single Lower I er of Straps (support length range) Arm Supports - Pair Cushioned Flip Arm Supports - Pair Cushioned Flip Arm Supports - Pair Cushioned Arm Supports* -Pair Cushioned Arm Supports* -Pair Cushioned Arm Supports* -Pair	Standard Wheel T     Standard     N/C     ty Wheel Transpor     eels*   \$53     ver Leg Support     cg Support (not av.     0   2 (12"-19")     Leg Support     0   2 (12"-19")     Leg Support     Standard     \$51.52     'air<\$140.00	Fransport Options   0 14" Mag W   0 20" Mag W   0 14" Mid Ma   0 6" Multi-Din   t Upgrade (available to 6" Not Pedal   *Only Compact Parking Bra   Options (Select one) ailable in 16" seat width   0 3 (14"-21")   0 3 (14"-21")   0 3 (14"-21")   0 3 (14"-21")   0 3 (14"-21")   0 3 (14"-21")   0 3 (14"-21")	heels heels $\bigcirc$ Omit Hand Rims ag Wheels ectional Locking Caster Wheels ogether or separately) Wheel Locks* <i>titble with 14" Rear Mag Wheels</i> tke Extension Handles ( <i>pair</i> ) $\bigcirc 4 (16"-23") \bigcirc 5 (18"-25")$ $\bigcirc 4 (16"-23") \bigcirc 5 (18"-25")$ Height Adjustable Arm Support Seat Mounted Arm Support	N/C N/C (\$407.29) \$197.16 \$78.51 Standard N/C Standard
(available w (available w (required if 6" x 2" Wic *Adds 1.5" (3.8 Angle Adju Choose Numbe Angle Adju Choose Numbe Arm Support Cushion Options:	um Non-Locking Caster Wheels with rear mags only) Twin Caster Wheels rear casters or mid mags selected) Heavy-Du de Non-Locking Forked Caster Wh cm) to overall chair width Low ustable, Articulating Split Lower L er of Straps (support length range) stable, Articulating Single Lower I er of Straps (support length range) Stable, Articulating Single Lower I er of Straps (support length range) () Arm Supports - Pair () Long Arm Supports - Pair () Long Cushioned Flip Arm Supports - F () Long Cushioned Arm Supports* *Not compatible with trays Seatin	Standard Wheel T     Standard     N/C     ty Wheel Transpor     eels*   \$53     ver Leg Support     cg Support (not av.     0   2 (12"-19")     Leg Support     0   2 (12"-19")     Arm Suppor     Standard     \$51.52     'air   \$140.00     rts - Pair \$180.00     \$98.13     - Pair   \$157.20     g and Frame Col	Fransport Options   0 14" Mag W   0 20" Mag W   0 14" Mid Ma   0 6" Multi-Din   t Upgrade (available to 0   Foot Pedal *Only Compa   0 Parking Bra   Options (Select one) ailable in 16" seat width   0 3 (14"-21")   0 3 (14"-21")   0 3 (14"-21")   0 3 (14"-21")   0 Arm Support	heels heels $\bigcirc$ Omit Hand Rims ag Wheels ectional Locking Caster Wheels ogether or separately) Wheel Locks* <i>titble with 14" Rear Mag Wheels</i> tke Extension Handles ( <i>pair</i> ) $\bigcirc 4 (16"-23") \bigcirc 5 (18"-25")$ $\bigcirc 4 (16"-23") \bigcirc 5 (18"-25")$ Height Adjustable Arm Support Seat Mounted Arm Support	N/C N/C (\$407.29) \$197.16 \$78.51 Standard N/C Standard Standard



### Synthesis Positioning Wheelchair V4

#### with the WC19 Package Upholstery Color Options (Select one)

\* Standard cushion configuration: Neck Support, Exterior Lateral Shoulder Supports, upper and lower side covers and foot cushions Accent Color. Seat, back and calf supports, and interior lateral shoulder supports come standard in Savoy Black Vinyl. \*\* Interlace: Indigo, Espresso & Graphite are available on seat, back & calf support cushions & most accessories.

\*\*\* In honor of our Veterans' Service, Camo options are now available.



Standard Color Vinyl\*: Shown with Interlace Graphite Upholstery & Carmine Red Frame Color \*Shown with optional Magwheel

Accent Color Vinyl\*\*: Shown with Interlace Indigo Upholstery & Black Frame Color

	mugwheet				
Upholstery Style Options* (Select One)					
Vinyl:	○ Interlace Indigo**	○ Interlace Graphite**	Vinyl:	O Beeline Portobello	O Beeline Geyser
○ Kaleidoscope Smokehouse ○ Kaleidoscope Chocolate				○ Tweed Mirage	O Milano Stitch Bark
O Modena 1	Black 🔿 Interla	ce Espresso**			

	Cushions - Choose Option 1, 2, OR 3	
Option 1 - Broda Standard Cushions		N/C

Standard Broda Cushions:

(

Includes: In Accent Color: Neck Support, Exterior Lateral Shoulder Supports, Upper & Lower Side Cover & Foot Support Cushion\*. In Black Vinyl: Seat & Back Support Cushions with Covers, Calf Support Cushion & Interior Lateral Shoulder Support Cushions

		G( 1 1
Seat, Back Support & Calf		Standard
Support Cover Options:	Accent Color Vinyl*	N/C
	***(For Interlace: Indigo, Espresso or Graphite only)	
	○ Full Vinyl Wrap Seat & Back Support Cushions	\$122.66
	(Select Modena Black Vinyl OR Accent Color Vinyl Above)	
	○ Calf Support Cushion Color	N/C
	(Select Modena Black Vinyl OR Accent Color Vinyl Above)	
	O Grey Terry Cover	N/C
	◯ Startex Cover	N/C
Huntington's Special	O Includes Long Lateral Shoulder Supports, Thigh Belt & Long Lower Leg Support Footbox	\$667.30
Padding (HSP) package:	Thigh Belt Color Option: O Modena Black Vinyl O Accent Color Vinyl	N/C
	Long Lower Leg Support Footbox Color: O Modena Black Vinyl O Accent Color Vinyl	N/C
○ Acute Care Configura		
Includes: Full Vinyl Covers,	ABS Lower Leg Support with Foot Support Cushions (Factory installed)(skip lower leg support cushion	\$583.88
package section above	when selecting this option)(16"-24" widths)	
<b>Optional Substitutions A</b>	vailable Between APP & SPP Components	
Option 2 - Broda Add	itional Positioning Padding (APP) (not compatible with 35" back support height)	
Broda APP Padding Packa	ge Includes: Seat Cushion, Back and Head Support, Foot & Calf Support, Upper & Lower Side	Covers
Seat Width:	Seat Depth:	
○16" ○	18" () 20" () 17" () 19" () 21"	\$640.31
$\bigcirc 22" \bigcirc$	24"	\$770.33
Option 3 - Broda Slim	Posture Padding (SPP)	
Broda SPP Padding Option	ns: Seat, Back Support, and Back Support Extension Cushions	
Seat Width: 16"	18" 20" Seat Depth: 17" 18.5" 20"	\$161.97
	24" 017" 018 5" 020"	\$178.64
	18" ○ 20" \$142.91 Back Extension: ○ 16" ○18" ○ 20"	\$107.19
	24" \$171.49 12" Height () 22" () 24"	\$119.09
		+



## Synthesis Positioning Wheelchair V4

#### with the WC19 Package

Other			
OACCESSORY-BAG Accessory Bag (Black) Each	\$49.70		
OBAG PERSONALIZING (2 Initials) OBrush Font OR OBlock Font	\$30.68		
O2-HOLDER-BAG Oxygen Holder, Soft Carry Bag	\$97.52		
OCUP-HOLDER Cup Holder	\$55.20		

#### Additional Options:

Delivery Instructions or Special Requests:	Total: \$

Accessorial Services: Each with an additional charge, are available to accommodate the delivery needs of Broda customers

and/or the needs of a shipment's final delivery location. To ensure a seamless delivery of each Broda order,

any accessorial services needed to deliver are requested when an order is submitted to Broda.

O Lift Gate Service: Delivery is made with a lift gate trailer that moves the shipment from trailer level to ground level

**Residential Delivery Service:** Delivery to a residential location

O Notification Before Delivery: Contact is requested to the Consignee by the Carrier PRIOR to shipment delivery

O Inside Delivery Service: Movement of the shipment beyond the unloading position, i.e. move closer to a door, inside a building,

upstairs, down a hall, etc. Price is specific per order, based on the customer's inside delivery needs

O Limited Access Service: Delivery locations that are not open to the walk-in public, during normal business houses. Mon-Fri. 8a-5p

Expedited delivery is available by customer request at the time of order, which is priced per order and is based on

the delivery location and level of service.